AUTHOR INDEX

A

Adair, R. K. *See* Weaver, Vaughan, Adair, and Astumian
Adamson, J. G. *See* Johnson, Adamson, and Mauk
Adcock, C., Smith, G. R., and Sansom, M. S. P. Electrostatics and the ion selectivity of ligand-gated channels, 1211
Agapov, I. I. *See* Pohl, Saparov, Pohl, Evtodienko, Agapov, and Tonevitsky
Aguilella, V. M. *See* Rostovtseva, Aguilella, Vodyanoy, Bezrukov, and Parsegian
Ahern, C. A. *See* Strube, Beurg, Sukhareva, Ahern, Powell, Powers, Gregg, and Coronado
Akinlaja, J. and Sachs, F. The breakdown of cell membranes by electrical and mechanical stress, 247
Akutsu, H. *See* Ohmura, Nakamura, Niki, Cusanovich, and Akutsu
Aldag, I. *See* Svergun, Aldag, Sieck, Altendorf, Koch, Kane, Kozin, and Grüber
Allen, T. *See* Chung, Hoyles, Allen, and Kuyucak
Alpert, B. *See* Longa, Pin, Cortès, Soldatov, and Alpert
Altendorf, K. *See* Svergun, Aldag, Sieck, Altendorf, Koch, Kane, Kozin, and Grüber
Ameen, D. B., Bishop, M. F., and McMullen, T. A lattice model for computing the transmissivity of the cornea and sclera, 2520
Amerongen, H. *See* Gradinaru, Özdemir, Gülen, Stokkum, Grondelle, and Amerongen
Anderson, B. D. *See* Xiang and Anderson
Andersson, A.-S., Rilfors, L., Orädd, G., and Lindblom, G. Total lipids with short and long acyl chains from *Acholeplasma* form nonlamellar phases, 2877
Andrews, B. K. *See* Makarov, Feig, Andrews, and Pettitt
Angiolillo, P. J. and Vanderkooi, J. M. The photoexcited triplet state as a probe of chromophore-protein interaction in myoglobin, 1491
Antonenko, Y. N. *See* Pohl, Saparov, and Antonenko
Apell, H.-J. *See* Clarke, Kane, Apell, Roudna, and Bamberg
Arciero, D. M. *See* Timkovich, Bergmann, Arciero, and Hooper
Armen, R. S., Uitto, O. D., and Feller, S. E. Phospholipid component volumes: determination and application to bilayer structure calculations, 734
Armstrong, C. M. *See* Khodakhah, Melishchuk, and Armstrong
——— *See* Melishchuk, Loboda, and Armstrong
Arndt-Jovin, D. J. *See* Kirsch, Subramaniam, Striker, Schnetter, Arndt-Jovin, and Jovin
Arner, A., Malmqvist, U., and Rigler, R. Calcium transients and the effect of a photolytically released calcium chelator during electrically induced contractions in rabbit rectococcygeus smooth muscle, 1895
Arnold, K. *See* Huster and Arnold
Arnold, W. *See* Urbina, Moreno, Arnold, Taron, Orlean, and Oldfield
Aro, E.-M. *See* Vavilin, Tyystjärvi, and Aro
Arora, A. and Marsh, D. Protein-induced vertical lipid dislocation in a model membrane system: spin-label relaxation studies on avidin-biotinylphosphatidylethanolamine interactions, 2915
Arreola, J. *See* Shieh, Chang, and Arreola
Artmann, G. M., Kelemen, C., Porst, D., Büldt, G., and Chien, S. Temperature transitions of protein properties in human red blood cells, 3179
Ascoli, F. *See* Falconi, Desideri, Cupane, Leone, Ciccotti, Peterson, Friedman, Gambacurta, and Ascoli
Ashbaugh, H. S., Kaler, E. W., and Paulaitis, M. E. Hydration and conformational equilibria of simple hydrophobic and amphilic solutes, 755
Ashley, C. C. *See* Rapp, Ashley, Bagni, Griffiths, and Cecchi
Asthagiri, D. *See* Neal, Asthagiri, and Lenhoff
Astumian, D. *See* Chen, Han, Chen, and Astumian
Astumian, R. D. *See* Weaver, Vaughan, Adair, and Astumian
Atkinson, G. H. *See* Ujj, Devanathan, Meyer, Cusanovich, Tollin, and Atkinson
Auerbach, A. *See* Chen and Auerbach

B

Bagatolli, L. A., Gratton, E., and Fidelio, G. D. Water dynamics in glycosphingolipid aggregates studied by LAURDAN fluorescence, 331
Bagni, M. A. *See* Rapp, Ashley, Bagni, Griffiths, and Cecchi
Bahlmann, K. *See* Schrader, Bahlmann, Giese, and Hell
Baird, L. C. *See* Busath, Thulin, Hendershot, Phillips, Maughan, Cole, Bingham, Morrison, Baird, Hendershot, Cotten, and Cross
Baker, G. A. *See* Flora, Brennan, Baker, Doody, and Bright
Balazs, E. A. *See* Cowman, Li, and Balazs
Baldwin, R. L. *See* Laurents and Baldwin
Balke, C. W. *See* Izu, Wier, and Balke
Ballard, L. *See* Jonas, Ballard, and Nash
Ballesteros, J. A. *See* Konvicka, Guarnieri, Ballesteros, and Weinstein
Bally, M. B. *See* Harvie, Wong, and Bally
Bamberg, E. *See* Clarke, Kane, Apell, Roudna, and Bamberg
Bamdad, C. A DNA self-assembled monolayer for the specific attachment of unmodified double- or single-stranded DNA, 1997
——— The use of variable density self-assembled monolayers to probe the structure of a target molecule, 1989
Bansal, M. *See* Kumar and Bansal
Barends, J. P. F. *See* He, Stienen, Barends, and Ferenczi
Barisas, B. G. *See* Munnelly, Roess, Wade, and Barisas
Barnes, J. P. and Freed, J. H. Dynamics and ordering in mixed model membranes of dimyristoylphosphatidylcholine and dimyristoylphosphatidylserine: a 250-GHz electron spin resonance study using cholestane, 2532
Barth, A. and Mäntele, W. ATP-induced phosphorylation of the sarcoplasmic reticulum Ca^{2+} ATPase: molecular interpretation of infrared difference spectra, 538
Bartoo, M. *See* Veigel, Bartoo, White, Sparrow, and Molloy
Bar-Ziv, R., Moses, E., and Nelson, P. Dynamic excitations in membranes induced by optical tweezers, 294
Baugher, A. H., Goetz, J. M., McDowell, L. M., Huang, H., Wooley, K. L., and Schaefer, J. Location of fluorotryptophan sequestered in an amphiphilic nanoparticle by rotational-echo double-resonance NMR, 2574
Bausch, A. R., Ziemann, F., Boulbitch, A. A., Jacobson, K., and Sackmann, E. Local measurements of viscoelastic parameters of adherent cell surfaces by magnetic bead microrheometry, 2038
Baylor, D. A. *See* Rieke and Baylor
Beaumont, J., Davidenko, N., Davidenko, J. M., and Jalife, J. Spiral waves in two-dimensional models of ventricular muscle: formation of a stationary core, 1
Becker, O. M. *See* Taler, Navon, and Becker
Behrens, W., Otto, H., Stuhrmann, H. B., and Heyn, M. P. Sulfur distribution in bacteriorhodopsin from multiple wavelength anomalous diffraction near the sulfur K-edge with synchrotron x-ray radiation, 255
Belágyi, J. *See* Hild, Nyitrai, Belágyi, and Somogyi
Benham, C. D. *See* Mahoney, Slakey, Benham, and Gross
Benndorf, K. *See* Böhle, Steinbis, Biskup, Koopmann, and Benndorf
Ben-Shaul, A. *See* Harries, May, Gelbart, and Ben-Shaul

Berden, J. *See* Villaverde, Cladera, Hartog, Berden, Padrós, and Duñach
Berdiev, B. K., Karlson, K. H., Jovov, B., Ripoll, P.-J., Morris, R., Loffing-Cueni, D., Halpin, P., Stanton, B. A., Kleyman, T. R., and Ismailov, I. I. Subunit stoichiometry of a core conduction element in a cloned epithelial amiloride-sensitive Na^+ channel, 2292
Berger, B. *See* Schwartz, Shor, Prevelige, and Berger
Bergmann, D. *See* Timkovich, Bergmann, Arciero, and Hooper
Berman, H. M. *See* Schneider, Patel, and Berman
——— *See* Woda, Schneider, Patel, Mistry, and Berman
Bernatchez, G., Talwar, D., and Parent, L. Mutations in the EF-hand motif impair the inactivation of barium currents of the cardiac α_{1C} channel, 1727
Bernèche, S., Nina, M., and Roux, B. Molecular dynamics simulation of melittin in a dimyristoylphosphatidylcholine bilayer membrane, 1603
Bernengo, J. C. *See* Csernoch, Bernengo, Szentesi, and Jacquemond
Bertrand, C. A., Durand, D. M., Saidel, G. M., Laboisse, C., and Hopfer, U. System for dynamic measurements of membrane capacitance in intact epithelial monolayers, 2743
Beth, A. H. *See* Blackman, Piston, and Beth
Beurg, M. *See* Strube, Beurg, Sukhareva, Ahern, Powell, Powers, Gregg, and Coronado
Bezrukov, S. M. *See* Rostovtseva, Aguilella, Vodyanoy, Bezrukov, and Parsegian
Bialik, C. N., Wolf, B., Rachofsky, E. L., Ross, J. B. A., and Laws, W. R. Dynamics of biomolecules: assignment of local motions by fluorescence anisotropy decay, 2564
Bingham, N. C. *See* Busath, Thulin, Hendershot, Phillips, Maughan, Cole, Bingham, Morrison, Baird, Hendershot, Cotten, and Cross
Birge, R. R. *See* Tallent, Stuart, Song, Schmidt, Martin, and Birge
Bishop, M. F. *See* Ameen, Bishop, and McMullen
Biskup, C. *See* Böhle, Steinbis, Biskup, Koopmann, and Benndorf
Blackman, S. M., Piston, D. W., and Beth, A. H. Oligomeric state of human erythrocyte band 3 measured by fluorescence resonance energy homotransfer, 1117
Blazyk, J. *See* Hirsh, Lazaro, Wright, Boggs, McIntosh, Schaefer, and Blazyk
Boal, D. H. *See* Boey, Boal, and Discher
——— *See* Discher, Boal, and Boey
Boey, S. K., Boal, D. H., and Discher, D. E. Simulations of the erythrocyte cytoskeleton at large deformation: I. Microscopic models, 1573
——— *See* Discher, Boal, and Boey
Boggs, J. M. *See* Hirsh, Lazaro, Wright, Boggs, McIntosh, Schaefer, and Blazyk
Bogner, P., Csutora, P., Cameron, I. L., Wheatley, D. N., and Miseta, A. Augmented water binding and low cellular water content in erythrocytes of camel and camelids, 3085
Böhle, T., Steinbis, M., Biskup, C., Koopmann, R., and Benndorf, K. Inactivation of single cardiac Na^+ channels in three different gating modes, 1740
Bolard, J. *See* Heywang, Chazalet, Masson, and Bolard
Bonanno, J. A. *See* Srinivas, Bonanno, and Hughes
Borregaard, N. *See* Lollike, Borregaard, and Lindau
Botelho, M. M. *See* Valente-Mesquita, Botelho, and Ferreira
Boulbitch, A. A. *See* Bausch, Ziemann, Boulbitch, Jacobson, and Sackmann
Bowser, D. N., Minamikawa, T., Nagley, P., and Williams, D. A. Role of mitochondria in calcium regulation of spontaneously contracting cardiac muscle cells, 2004
Boxus, R. *See* Zizi, Byrd, Boxus, and Colombini
Brader, M. L. *See* Yip, DeFelippis, Frank, Brader, and Ward
Bradley, K. K. *See* Koh, Bradley, Rae, Keef, Horowitz, and Sanders
Bradshaw, J. P., Davies, S. M. A., and Hauss, T. Interaction of substance P with phospholipid bilayers: a neutron diffraction study, 889
Brand, J. G. *See* Kumazawa, Brand, and Teeter
Brennan, J. D. *See* Flora, Brennan, Baker, Doody, and Bright
Breton, J. *See* Paillotin, Leibl, Gapiński, Breton, and Dobek
Brick, P. *See* Franks, Jenkins, Conti, Lieb, and Brick
Bridge, J. H. B. *See* Litwin, Li, and Bridge
Bright, F. V. *See* Flora, Brennan, Baker, Doody, and Bright
Brock, R., Hink, M. A., and Jovin, T. M. Fluorescence correlation microscopy of cells in the presence of autofluorescence, 2547
Brown, L. S., Dioumaev, A. K., Needleman, R., and Lanyi, J. K. Connectivity of the retinal Schiff base to Asp^{85} and Asp^{96} during the bacteriorhodopsin photocycle: the local access model, 1455
Brown, R. L., Snow, S. D., and Haley, T. L. Movement of gating machinery during the activation of rod cyclic nucleotide-gated channels, 825
Brun, N. *See* Hammermann, Brun, Klenin, May, Tóth, and Langowski
Brune, M. *See* He, Ferenczi, Brune, Trentham, Webb, Somlyo, and Somlyo
Brust-Mascher, I. and Webb, W. W. Calcium waves induced by large voltage pulses in fish keratocytes, 1669
Buettner, H. M. *See* Odde and Buettner
Büldt, G. *See* Artmann, Kelemen, Porst, Büldt, and Chien
——— *See* Sass, Gessenich, Koch, Oesterhelt, Dencher, Büldt, and Rapp
Bunker, B. A. *See* Kropf, Bunker, Eisner, Moss, Zecca, Stroppolo, and Crippa
Burkard, F. *See* Hendrickson, Burkard, and Glaeser
Burkhart, B. M., Gassman, R. M., Langs, D. A., Pangborn, W. A., and Duax, W. L. Heterodimer formation and crystal nucleation of gramicidin D, 2135
Busath, D. D., Thulin, C. D., Hendershot, R. W., Phillips, L. R., Maughan, P., Cole, C. D., Bingham, N. C., Morrison, S., Baird, L. C., Hendershot, R. J., Cotten, M., and Cross, T. A. Noncontact dipole effects on channel permeation. I. Experiments with (5F-indole)Trp^{13} gramicidin A channels, 2830
Busch, N. A., Yarmush, M. L., and Toner, M. A theoretical formalism for aggregation of peroxidized lipids and plasma membrane stability during photolysis, 2956
Bustamante, C. *See* Stigter and Bustamante
Butler, T. M., Mooers, S. U., Li, C., Narayan, S., and Siegman, M. J. Regulation of catch muscle by twitchin phosphorylation: effects on force, ATPase, and shortening, 1904
Byrd, C. *See* Zizi, Byrd, Boxus, and Colombini

C

Caenepeel, S. *See* Ramos-Franco, Caenepeel, Fill, and Mignery
Caiolfa, V. R. *See* Zamai, Caiolfa, Pines, Pines, and Parola
Cameron, I. L. *See* Bogner, Csutora, Cameron, Wheatley, and Miseta
Canters, G. W. *See* Kroes, Canters, Gilardi, van Hoek, and Visser
Cantino, M. E., Eichen, J. G., and Daniels, S. B. Distributions of calcium in A and I bands of skilled vertebrate muscle fibers stretched to beyond filament overlap, 948
Cascante, M. *See* Meléndez, Meléndez-Hevia, Mas, Mach, and Cascante
Castanho, M. A. R. B. *See* Santos, Ter-Ovanesyan, Zasadzinski, and Castanho
——— *See* Santos, Ter-Ovanesyan, Zasadzinski, Prieto, and Castanho
Cecchi, G. *See* Rapp, Ashley, Bagni, Griffiths, and Cecchi

Centonze, V. E. and White, J. G. Mutifocal excitation provides optical sections from deeper within scattering specimens than confocal imaging, 2015
Cercignani, G., Lucia, S., and Petracchi, D. Photoresponses of *Halobacterium salinarum* to repetitive pulse stimuli, 1466
——— *See* Petracchi and Cercignani
Chahine, M., Sirois, J., Marcotte, P., Chen, L.-Q., and Kallen, R. G. Extrapore residues of the S5-S6 loop of domain 2 of the voltage-gated skeletal muscle sodium channel (rSkM1) contribute to the μ-conotoxin GIIIA binding site, 236
Chandler, S. H. *See* Del Negro, Hsiao, Chandler, and Garfinkel
Chang, J.-C. *See* Shieh, Chang, and Arreola
Chang, S., Girod, R., Morimoto, T., O'Donoghue, M., and Popov, S. Constitutive secretion of exogenous neurotransmitter by nonneuronal cells: implications for neuronal secretion, 1354
Chazalet, M. S.-P. *See* Heywang, Chazalet, Masson, and Bolard
Chen, B., Keshive, M., and Deen, W. M. Diffusion and reaction of nitric oxide in suspension cell cultures, 745
Chen, J. and Auerbach, A. A distinct contribution of the σ subunit to acetylcholine receptor channel activation revealed by mutations of the M2 segment, 218
Chen, L.-Q. *See* Chahine, Sirois, Marcotte, Chen, and Kallen
Chen, W., Han, Y., Chen, Y., and Astumian, D. Electrical field-induced functional reductions in the K^+ channels mainly resulted from supramembrane potential-mediated electroconformational changes, 196
Chen, Y. *See* Chen, Han, Chen, and Astumian
Cheng, H. *See* Smith, Keizer, Stern, Lederer, and Cheng
Chernomordik, L. V. *See* Kozlov and Chernomordik
Chesla, S. E., Selvaraj, P., and Zhu, C. Measuring two-dimensional receptor-ligand binding kinetics by micropipette, 1553
Chiang, C.-M. *See* Lo, Hsu, Sheu, Chiang, Wu, Fann, and Tsao
Chien, S. *See* Artmann, Kelemen, Porst, Büldt, and Chien
Chizhov, I., Schmies, G., Seidel, R., Sydor, J. R., Lüttenberg, B., and Engelhard, M. The photophobic receptor from *Natronobacterium pharaonis:* temperature and pH dependencies of the photocycle of sensory rhodopsin II, 999
Chung, S.-H., Hoyles, M., Allen, T., and Kuyucak, S. Study of ionic currents across a model membrane channel using Brownian dynamics, 793
Ciccotti, G. *See* Falconi, Desideri, Cupane, Leone, Ciccotti, Peterson, Friedman, Gambacurta, and Ascoli
Cladera, J. *See* Pardo, Sepulcre, Cladera, Duñach, Labarta, Tejada, and Padrós
——— *See* Villaverde, Cladera, Hartog, Berden, Padrós, and Duñach
Clarke, R. J., Kane, D. J., Apell, H.-J., Roudna, M., and Bamberg, E. Kinetics of Na^+-dependent conformational changes of rabbit kidney Na^+,K^+-ATPase, 1340
Clegg, R. M. *See* Erijman and Clegg
Coelho-Sampaio, T. *See* Ferreira, Silva, Foguel, and Coelho-Sampaio
Cole, C. D. *See* Busath, Thulin, Hendershot, Phillips, Maughan, Cole, Bingham, Morrison, Baird, Hendershot, Cotten, and Cross
Colombini, M. *See* Zizi, Byrd, Boxus, and Colombini
Conibear, P. B. and Geeves, M. A. Cooperativity between the two heads of rabbit skeletal muscle heavy meromyosin in binding to actin, 926
Conti, E. *See* Franks, Jenkins, Conti, Lieb, and Brick
Conti, F. *See* Pusch, Magrassi, Wollnik, and Conti
Cooke, R. *See* Getz, Cooke, and Lehman
Coronado, R. *See* Strube, Beurg, Sukhareva, Ahern, Powell, Powers, Gregg, and Coronado
Cortès, R. *See* Longa, Pin, Cortès, Soldatov, and Alpert
Cosgrove, D. J. *See* Veytsman and Cosgrove
Cotten, M. *See* Busath, Thulin, Hendershot, Phillips, Maughan, Cole, Bingham, Morrison, Baird, Hendershot, Cotten, and Cross
Couling, V. W., Fischer, P., Klenerman, D., and Huber, W. Ultraviolet resonance Raman study of drug binding in dihydrofolate reductase, gyrase, and catechol *O*-methyltransferase, 1097
Cowman, M. K., Li, M., and Balazs, E. A. Tapping mode atomic force microscopy of hyaluronan: extended and intramolecularly interacting chains, 2030
Cramer, W. A. *See* Salamon, Huang, Cramer, and Tollin
Crippa, P. R. *See* Kropf, Bunker, Eisner, Moss, Zecca, Stroppolo, and Crippa
Cross, T. A. *See* Busath, Thulin, Hendershot, Phillips, Maughan, Cole, Bingham, Morrison, Baird, Hendershot, Cotten, and Cross
Crowe, J. H. *See* Tsvetkova, Phillips, Crowe, Crowe, and Risbud
Crowe, L. M. *See* Tsvetkova, Phillips, Crowe, Crowe, and Risbud
Crumrine, D. S. *See* Quigley, Emerick, Crumrine, and Cukierman
Csernoch, L., Bernengo, J. C., Szentesi, P., and Jacquemond, V. Measurements of intracellular Mg^{2+} concentration in mouse skeletal muscle fibers with the fluorescent indicator mag-indo-1, 957
Csutora, P. *See* Bogner, Csutora, Cameron, Wheatley, and Miseta
Cukierman, S. *See* Quigley, Emerick, Crumrine, and Cukierman
Cupane, A. *See* Falconi, Desideri, Cupane, Leone, Ciccotti, Peterson, Friedman, Gambacurta, and Ascoli
Cusanovich, M. A. *See* Ohmura, Nakamura, Niki, Cusanovich, and Akutsu
——— *See* Ujj, Devanathan, Meyer, Cusanovich, Tollin, and Atkinson

D

Dadarlat, V. M. and Saxena, V. K. Stability of triple helical poly(dT)-poly(dA)-poly(dT) DNA with counterions, 70
Dael, H. V. *See* Vanderheeren, Hanssens, Noyelle, Dael, and Joniau
Dahl, G. *See* Pfahnl and Dahl
Dan, N. and Safran, S. A. Effect of lipid characteristics on the structure of transmembrane proteins, 1410
Daniel, R. M., Smith, J. C., Ferrand, M., Héry, S., Dunn, R., and Finney, J. L. Enzyme activity below the dynamical transition at 220 K, 2504
Daniels, S. B. *See* Cantino, Eichen, and Daniels
Davidenko, J. M. *See* Beaumont, Davidenko, Davidenko, and Jalife
Davidenko, N. *See* Beaumont, Davidenko, Davidenko, and Jalife
Davidson, P. *See* Warriner, Keller, Idziak, Slack, Davidson, Zasadzinski, and Safinya
Davies, S. M. A. *See* Bradshaw, Davies, and Hauss
de Grooth, B. G. *See* Willemsen, Snel, van der Werf, de Grooth, Greve, Hinterdorfer, Gruber, Schindler, van Kooyk, and Figdor
Deen, W. M. *See* Chen, Keshive, and Deen
DeFelippis, M. R. *See* Yip, DeFelippis, Frank, Brader, and Ward
Dekker, J. P. *See* Peterman, Wenk, Pullerits, Pålsson, Grondelle, Dekker, Rögner, and van Amerongen
Del Negro, C. A., Hsiao, C.-F., Chandler, S. H., and Garfinkel, A. Evidence for a novel bursting mechanism in rodent trigeminal neurons, 174
Dembo, M. *See* Myszka, He, Dembo, Morton, and Goldstein
Dencher, N. A. *See* Sass, Gessenich, Koch, Oesterhelt, Dencher, Büldt, and Rapp
Denkov, N. D. *See* Ivanov, Hadjiiski, Denkov, Gurkov, Kralchevsky, and Koyasu
Dér, A. *See* Ludmann, Gergely, Dér, and Váró
Desbat, B. *See* Gallant, Desbat, Vaknin, and Salesse
Desideri, A. *See* Falconi, Desideri, Cupane, Leone, Ciccotti, Peterson, Friedman, Gambacurta, and Ascoli
Desruisseaux, C., Slater, G. W., and Kist, T. B. L. Trapping electrophoresis and ratchets: a theoretical study for DNA-protein complexes, 1228

Devanathan, S. *See* Ujj, Devanathan, Meyer, Cusanovich, Tollin, and Atkinson
Dewey, C. F., Jr. *See* McGrath, Tardy, Dewey, Meister, and Hartwig
Di Cera, E. *See* Di Stasio, Nagaswami, Weisel, and Di Cera
Di Stasio, E., Nagaswami, C., Weisel, J. W., and Di Cera, E. Cl^- regulates the structure of the fibrin clot, 1973
Diamond, S. L. *See* Tandon and Diamond
Dilmore, J. G. and Johnson, J. W. Open channel block and alteration of *N*-methyl-D-aspartic acid receptor gating by an analog of phencyclidine, 1801
Dioumaev, A. K. *See* Brown, Dioumaev, Needleman, and Lanyi
Discher, D. E. Boal, D. H., and Boey, S. K. Simulations of the erythrocyte cytoskeleton at large deformation: II. Micropipette aspiration, 1584
——— *See* Boey, Boal, and Discher
Dobek, A. *See* Paillotin, Leibl, Gapiński, Breton, and Dobek
Doody, M. A. *See* Flora, Brennan, Baker, Doody, and Bright
Dou, Y. *See* Sugimoto, Unno, Shiro, Dou, and Ikeda-Saito
Dougherty, D. A. *See* Silverman, Lester, and Dougherty
Doyle, D. A. and Wallace, B. A. Shifting the equilibrium mixture of gramicidin double helices toward a single conformation with multivalent cationic salts, 635
Duax, W. L. *See* Burkhart, Gassman, Langs, Pangborn, and Duax
Dudley, S. C., Jr. *See* Penzotti, Fozzard, Lipkind, and Dudley
Duñach, M. *See* Pardo, Sepulcre, Cladera, Duñach, Labarta, Tejada, and Padrós
——— *See* Villaverde, Cladera, Hartog, Berden, Padrós, and Duñach
Dunn, R. C. *See* Hollars and Dunn
Dunn, R. *See* Daniel, Smith, Ferrand, Héry, Dunn, and Finney
Durand, D. M. *See* Bertrand, Durand, Saidel, Laboisse, and Hopfer

E

Eckenhoff, R. G. and Tanner, J. W. Differential halothane binding and effects on serum albumin and myoglobin, 477
Eichen, J. G. *See* Cantino, Eichen, and Daniels
Eichholtz, S. *See* Williams, Mark, and Eichholtz
Eisenberg, B. *See* Nonner and Eisenberg
Eisner, M. *See* Kropf, Bunker, Eisner, Moss, Zecca, Stroppolo, and Crippa
Emerick, A. J. *See* Quigley, Emerick, Crumrine, and Cukierman
Engelhard, M. *See* Chizhov, Schmies, Seidel, Sydor, Lüttenberg, and Engelhard
Engelhardt, H. *See* Mathes and Engelhardt
Erijman, L. and Clegg, R. M. Reversible stalling of transcription elongation complexes by high pressure, 453
Estes, J. E. *See* Kinosian, Newman, Lincoln, Selden, Gershman, and Estes
——— *See* Selden, Kinosian, Newman, Lincoln, Hurwitz, Gershman, and Estes
Evtodienko, V. Y. *See* Pohl, Saparov, Pohl, Evtodienko, Agapov, and Tonevitsky
Eynard, N., Rodriguez, F., Trotard, J., and Teissié, J. Electrooptics studies of *Escherichia coli* electropulsation: orientation, permeabilization, and gene transfer, 2587

F

Fahmy, K. Binding of transducin and transducin-derived peptides to rhodopsin studied by attenuated total reflection-Fourier transform infrared difference spectroscopy, 1306
Falconi, M., Desideri, A., Cupane, A., Leone, M., Ciccotti, G., Peterson, E. S., Friedman, J. M., Gambacurta, A., and Ascoli, F. Structural and dynamic properties of the homodimeric hemoglobin from *Scapharca inaequivalvis* Thr-72→Ile mutant: a molecular dynamics simulation, low temperature visible absorption spectroscopy, and resonance Raman spectroscopy studies, 2489
Fann, W. *See* Lo, Hsu, Sheu, Chiang, Wu, Fann, and Tsao
Fauver, M. *See* Neumann, Fauver, and Pollack
Feig, M. *See* Makarov, Feig, Andrews, and Pettitt
——— **and Pettitt, B. M.** Structural equilibrium of DNA represented with different force fields, 134
Feller, S. E. *See* Armen, Uitto, and Feller
Ferenczi, M. A. *See* He, Ferenczi, Brune, Trentham, Webb, Somlyo, and Somlyo
——— *See* He, Stienen, Barends, and Ferenczi
Ferrand, M. *See* Daniel, Smith, Ferrand, Héry, Dunn, and Finney
Ferreira, S. T. *See* Valente-Mesquita, Botelho, and Ferreira
———, **Silva, J. L., Foguel, D., and Coelho-Sampaio, T.** International symposium on protein condensation: in honor of Gregorio Weber, May 21–25, 1997, Rio de Janeiro, Brazil, 418
Fidelio, G. D. *See* Bagatolli, Gratton, and Fidelio
Figdor, C. G. *See* Willemsen, Snel, van der Werf, de Grooth, Greve, Hinterdorfer, Gruber, Schindler, van Kooyk, and Figdor
Fill, M. *See* Ramos-Franco, Caenepeel, Fill, and Mignery
——— *See* Ramos-Franco, Fill, and Mignery
Fink, C., Morgan, F., and Loew, L. M. Intracellular fluorescent probe concentrations by confocal microscopy, 1648
Finney, J. L. *See* Daniel, Smith, Ferrand, Héry, Dunn, and Finney
Finot, E. *See* Le Grimellec, Lesniewska, Giocondi, Finot, Vié, and Goudonnet
Fischer, P. *See* Couling, Fischer, Klenerman, and Huber
Flatters, D. and Lavery, R. Sequence-dependent dynamics of TATA-box binding sites, 372
Flora, K., Brennan, J. D., Baker, G. A., Doody, M. A., and Bright, F. V. Unfolding of acrylodan-labeled human serum albumin probed by steady-state and time-resolved fluorescence methods, 1084
Foguel, D. *See* Ferreira, Silva, Foguel, and Coelho-Sampaio
Fontanilla, R. A. and Nuccitelli, R. Characterization of the sperm-induced calcium wave in *Xenopus* eggs using confocal microscopy, 2079
Forstner, M., Kriechbaum, M., Laggner, P., and Wallimann, T. Structural changes of creatine kinase upon substrate binding, 1016
Fozzard, H. A. *See* Penzotti, Fozzard, Lipkind, and Dudley
Frank, B. H. *See* Yip, DeFelippis, Frank, Brader, and Ward
Franks, N. P., Jenkins, A., Conti, E., Lieb, W. R., and Brick, P. Structural basis for the inhibition of firefly luciferase by a general anesthetic, 2205
Freed, J. H. *See* Barnes and Freed
Friedman, J. M. *See* Falconi, Desideri, Cupane, Leone, Ciccotti, Peterson, Friedman, Gambacurta, and Ascoli
Fujita, H. and Ishiwata, S. Spontaneous oscillatory contraction without regulatory proteins in actin filament-reconstituted fibers, 1439
Funakubo, H. *See* Kashimori, Funakubo, and Kambara

G

Gallagher, K. and Sharp, K. Electrostatic contributions to heat capacity changes of DNA-ligand binding, 769
Gallant, J., Desbat, B., Vaknin, D., and Salesse, C. Polarization-modulated infrared spectroscopy and x-ray reflectivity of photosystem II core complex at the gas-water interface, 2888
Gallo, S. A. *See* Pawlowski, Gallo, Johnson, and Hui

Gambacurta, A. *See* Falconi, Desideri, Cupane, Leone, Ciccotti, Peterson, Friedman, Gambacurta, and Ascoli
Gapiński, J. *See* Paillotin, Leibl, Gapiński, Breton, and Dobek
Garber, S. S. *See* Levitan and Garber
García, L. *See* Muñoz, García, and Guerrero-Hernández
Garfinkel, A. *See* Del Negro, Hsiao, Chandler, and Garfinkel
Gassman, R. M. *See* Burkhart, Gassman, Langs, Pangborn, and Duax
Gat, Y. *See* Rousso, Gat, Lewis, Sheves, and Ottolenghi
Gaub, H. E. *See* Rief, Gautel, Schemmel, and Gaub
Gautel, M. *See* Rief, Gautel, Schemmel, and Gaub
Gaver, D. P., III and Kute, S. M. A theoretical model study of the influence of fluid stresses on a cell adhering to a microchannel wall, 721
Gavryushov, S. and Zielenkiewicz, P. Electrostatic potential of B-DNA: effect of interionic correlations, 2732
Geeves, M. A. *See* Conibear and Geeves
Gelbart, W. M. *See* Harries, May, Gelbart, and Ben-Shaul
——— *See* Park, Harries, and Gelbart
Gergely, C. *See* Ludmann, Gergely, Dér, and Váró
——— *See* Ludmann, Gergely, and Váró
Gershman, L. C. *See* Kinosian, Newman, Lincoln, Selden, Gershman, and Estes
——— *See* Selden, Kinosian, Newman, Lincoln, Hurwitz, Gershman, and Estes
Gessenich, R. *See* Sass, Gessenich, Koch, Oesterhelt, Dencher, Büldt, and Rapp
Getz, E. B., Cooke, R., and Lehman, S. L. Phase transition in force during ramp stretches of skeletal muscle, 2971
Gibbs, E. J. *See* Pasternack, Goldsmith, Szép, and Gibbs
Gibson, Q. H. *See* Kiger, Rashid, Griffon, Haque, Moens, Gibson, Poyart, and Marden
Giese, G. *See* Schrader, Bahlmann, Giese, and Hell
Gilardi, G. *See* Kroes, Canters, Gilardi, van Hoek, and Visser
Gimsa, J. A possible molecular mechanism governing human erythrocyte shape, 568
——— **and Wachner, D.** A unified resistor-capacitor model for impedance, dielectrophoresis, electrorotation, and induced transmembrane potential, 1107
Giocondi, M.-C. *See* Le Grimellec, Lesniewska, Giocondi, Finot, Vié, and Goudonnet
Girod, R. *See* Chang, Girod, Morimoto, O'Donoghue, and Popov
Glaeser, R. M. *See* Hendrickson, Burkard, and Glaeser
Glaser, R. Does the transmembrane potential ($\Delta\psi$) or the intracellular pH (pH_i) control the shape of human erythrocytes?, 569
Glazier, J. A. *See* Jiang, Levine, and Glazier
Goetz, J. M. *See* Baugher, Goetz, McDowell, Huang, Wooley, and Schaefer
Goldsmith, J. I. *See* Pasternack, Goldsmith, Szép, and Gibbs
Goldstein, B. *See* Myszka, He, Dembo, Morton, and Goldstein
Gordeliy, V. I., Kiselev, M. A., Lesieur, P., Pole, A. V., and Teixeira, J. Lipid membrane structure and interactions in dimethyl sulfoxide/water mixtures, 2343
Goudonnet, J.-P. *See* Le Grimellec, Lesniewska, Giocondi, Finot, Vié, and Goudonnet
Govil, G. *See* Patel, Srivastava, Phadke, and Govil
Gradinaru, C. C., Özdemir, S., Gülen, D., Stokkum, I. H. M., Grondelle, R., and Amerongen, H. The flow of excitation energy in LHCII monomers: implications for the structural model of the major plant antenna, 3064
Granzier, H. *See* Linke and Granzier
Gratton, E. *See* Bagatolli, Gratton, and Fidelio
Gratzl, M. *See* Yi and Gratzl
Gregg, R. G. *See* Strube, Beurg, Sukhareva, Ahern, Powell, Powers, Gregg, and Coronado
Greve, J. *See* Willemsen, Snel, van der Werf, de Grooth, Greve, Hinterdorfer, Gruber, Schindler, van Kooyk, and Figdor
Gribbon, P. and Hardingham, T. E. Macromolecular diffusion of biological polymers measured by confocal fluorescence recovery after photobleaching, 1032
Griffiths, P. J. *See* Rapp, Ashley, Bagni, Griffiths, and Cecchi
Griffon, N. *See* Kiger, Rashid, Griffon, Haque, Moens, Gibson, Poyart, and Marden
Grimellec, C. L. *See* Margeat, Grimellec, and Royer
Grondelle, R. *See* Gradinaru, Özdemir, Gülen, Stokkum, Grondelle, and Amerongen
——— *See* Peterman, Wenk, Pullerits, Pålsson, Grondelle, Dekker, Rögner, and van Amerongen
Gross, D. J. *See* Mahoney, Slakey, Benham, and Gross
Gross, E. L. *See* Pearson and Gross
Gross, E. and Hopfer, U. Voltage and cosubstrate dependence of the Na-HCO_3 cotransporter kinetics in renal proximal tubule cells, 810
Grüber, G. *See* Svergun, Aldag, Sieck, Altendorf, Koch, Kane, Kozin, and Grüber
Gruber, H. J. *See* Willemsen, Snel, van der Werf, de Grooth, Greve, Hinterdorfer, Gruber, Schindler, van Kooyk, and Figdor
Guarnieri, F. *See* Konvicka, Guarnieri, Ballesteros, and Weinstein
Guerrero-Hernández, A. *See* Muñoz, García, and Guerrero-Hernández
Gülen, D. *See* Gradinaru, Özdemir, Gülen, Stokkum, Grondelle, and Amerongen
Gurkov, T. D. *See* Ivanov, Hadjiiski, Denkov, Gurkov, Kralchevsky, and Koyasu
Györke, I. and Györke, S. Regulation of the cardiac ryanodine receptor channel by luminal Ca^{2+} involves luminal Ca^{2+} sensing sites, 2801
Györke, S. *See* Györke and Györke

H

Haagsman, H. P. *See* Putz, Walch, Van Eijk, and Haagsman
Hadjiiski, A. *See* Ivanov, Hadjiiski, Denkov, Gurkov, Kralchevsky, and Koyasu
Haley, T. L. *See* Brown, Snow, and Haley
Hallett, M. B. *See* Laffafian and Hallett
Halpin, P. *See* Berdiev, Karlson, Jovov, Ripoll, Morris, Loffing-Cueni, Halpin, Stanton, Kleyman, and Ismailov
Halstenberg, S., Heimburg, T., Hianik, T., Kaatze, U., and Krivanek, R. Cholesterol-induced variations in the volume and enthalpy fluctuations of lipid bilayers, 264
Hammer, D. A. *See* Swift, Posner, and Hammer
Hammermann, M., Brun, N., Klenin, K. V., May, R., Tóth, K., and Langowski, J. Salt-dependent DNA superhelix diameter studied by small angle neutron scattering measurements and Monte Carlo simulations, 3057
Han, Y. *See* Chen, Han, Chen, and Astumian
Hanssens, I. *See* Vanderheeren, Hanssens, Noyelle, Dael, and Joniau
Haque, M. *See* Kiger, Rashid, Griffon, Haque, Moens, Gibson, Poyart, and Marden
Hardingham, T. E. *See* Gribbon and Hardingham
Harries, D. *See* Park, Harries, and Gelbart
———, **May, S., Gelbart, W. M., and Ben-Shaul, A.** Structure, stability, and thermodynamics of lamellar DNA-lipid complexes, 159
Harroun, T. A. *See* Yang, Harroun, Heller, Weiss, and Huang
Hartog, A. *See* Villaverde, Cladera, Hartog, Berden, Padrós, and Duñach
Hartwig, J. H. *See* McGrath, Tardy, Dewey, Meister, and Hartwig
Harvie, P., Wong, F. M. P., and Bally, M. B. Characterization of lipid DNA interactions. I. Destabilization of bound lipids and DNA dissociation, 1040

Hauss, T. *See* Bradshaw, Davies, and Hauss
He, X. *See* Myszka, He, Dembo, Morton, and Goldstein
He, Z.-H., Ferenczi, M. A., Brune, M., Trentham, D. R., Webb, M. R., Somlyo, A. P., and Somlyo, A. V. Time-resolved measurements of phosphate release by cycling cross-bridges in portal vein smooth muscle, 3031
———, Stienen, G. J. M., Barends, J. P. F., and Ferenczi, M. A. Rate of phosphate release after photoliberation of adenosine 5′-triphosphate in slow and fast skeletal muscle fibers, 2389
Hecht, J. L. *See* Misra, Hecht, Yang, and Honig
Heimburg, T. *See* Halstenberg, Heimburg, Hianik, Kaatze, and Krivanek
Hell, S. W. *See* Schrader, Bahlmann, Giese, and Hell
Heller, W. T. *See* Yang, Harroun, Heller, Weiss, and Huang
Hendershot, R. J. *See* Busath, Thulin, Hendershot, Phillips, Maughan, Cole, Bingham, Morrison, Baird, Hendershot, Cotten, and Cross
Hendershot, R. W. *See* Busath, Thulin, Hendershot, Phillips, Maughan, Cole, Bingham, Morrison, Baird, Hendershot, Cotten, and Cross
Henderson, P. J. F. *See* Spooner, O'Reilly, Homans, Rutherford, Henderson, and Watts
Hendrickson, F. M., Burkard, F., and Glaeser, R. M. Structural characterization of the L-to-M transition of the bacteriorhodopsin photocycle, 1446
Héry, S. *See* Daniel, Smith, Ferrand, Héry, Dunn, and Finney
Heyn, M. P. *See* Behrens, Otto, Stuhrmann, and Heyn
Heywang, C., Chazalet, M. S.-P., Masson, M., and Bolard, J. Orientation of anthracyclines in lipid monolayers and planar asymmetrical bilayers: a surface-enhanced resonance Raman scattering study, 2368
Hianik, T. *See* Halstenberg, Heimburg, Hianik, Kaatze, and Krivanek
Hild, G., Nyitrai, M., Belágyi, J., and Somogyi, B. The influence of divalent cations on the dynamic properties of actin filaments: a spectroscopic study, 3015
Hink, M. A. *See* Brock, Hink, and Jovin
Hinterdorfer, P. *See* Willemsen, Snel, van der Werf, de Grooth, Greve, Hinterdorfer, Gruber, Schindler, van Kooyk, and Figdor
Hirsh, D. J., Lazaro, N., Wright, L. R., Boggs, J. M., McIntosh, T. J., Schaefer, J., and Blazyk, J. A new monofluorinated phosphatidylcholine forms interdigitated bilayers, 1858
Ho, R., Yuan, J.-Y., and Shao, Z. Hydration force in the atomic force microscope: a computational study, 1076
Hoa, G. H. B. *See* Kornblatt, Kornblatt, Rajotte, Hoa, and Kahn
Holevinsky, K. O. and Nelson, D. J. Membrane capacitance changes associated with particle uptake during phagocytosis in macrophages, 2577
Hollars, C. W. and Dunn, R. C. Submicron structure in L-α-dipalmitoylphosphatidylcholine monolayers and bilayers probed with confocal, atomic force, and near-field microscopy, 342
Homans, S. W. *See* Spooner, O'Reilly, Homans, Rutherford, Henderson, and Watts
Honda, M. *See* Tanaka, Ishijima, Honda, Saito, and Yanagida
Honig, B. *See* Misra, Hecht, Yang, and Honig
Hooper, A. B. *See* Timkovich, Bergmann, Arciero, and Hooper
Hopfer, U. *See* Bertrand, Durand, Saidel, Laboisse, and Hopfer
——— *See* Gross and Hopfer
Horn, R. Run, don't hop, through the nearest calcium channel, 1142
Horowitz, B. *See* Koh, Bradley, Rae, Keef, Horowitz, and Sanders
Hoyles, M. *See* Chung, Hoyles, Allen, and Kuyucak
Hsiao, C.-F. *See* Del Negro, Hsiao, Chandler, and Garfinkel
Hsu, J.-H. *See* Lo, Hsu, Sheu, Chiang, Wu, Fann, and Tsao
Hsu, S. L. *See* Riou, Hsu, and Stidham
Hu, X. and Schulten, K. Model for the light-harvesting complex I (B875) of *Rhodobacter sphaeroides*, 683
Huang, D. *See* Salamon, Huang, Cramer, and Tollin
Huang, H. W. *See* Yang, Harroun, Heller, Weiss, and Huang
Huang, H. *See* Baugher, Goetz, McDowell, Huang, Wooley, and Schaefer
Huber, W. *See* Couling, Fischer, Klenerman, and Huber
Hughes, B. A. *See* Srinivas, Bonanno, and Hughes
Hui, S. W. *See* Pawlowski, Gallo, Johnson, and Hui
Humphrey, W., Lu, H., Logunov, I., Werner, H.-J., and Schulten, K. Three electronic state model of the primary phototransformation of bacteriorhodopsin, 1689
Hurwitz, C. *See* Selden, Kinosian, Newman, Lincoln, Hurwitz, Gershman, and Estes
Huster, D. and Arnold, K. Ca^{2+}-mediated interaction between dextran sulfate and dimyristoyl-*sn*-glycero-3-phosphocholine surfaces studies by ^2H nuclear magnetic resonance, 909

I

Idziak, S. H. J. *See* Warriner, Keller, Idziak, Slack, Davidson, Zasadzinski, and Safinya
Ikeda, S. *See* Yang, Sugiyama, Ikeda, Saito, and Wang
Ikeda-Saito, M. *See* Sugimoto, Unno, Shiro, Dou, and Ikeda-Saito
Irrgang, K.-D. *See* Schödel, Irrgang, Voigt, and Renger
Ishijima, A. *See* Tanaka, Ishijima, Honda, Saito, and Yanagida
Ishiwata, S. *See* Fujita and Ishiwata
Ismailov, I. I. *See* Berdiev, Karlson, Jovov, Ripoll, Morris, Loffing-Cueni, Halpin, Stanton, Kleyman, and Ismailov
Israelachvili, J. N. *See* Kuhl, Majewski, Wong, Steinberg, Leckband, Israelachvili, and Smith
——— *See* Majewski, Wong, Park, Seitz, Israelachvili, and Smith
Isralewitz, B. *See* Lu, Isralewitz, Krammer, Vogel, and Schulten
Ivanov, I. B., Hadjiiski, A., Denkov, N. D., Gurkov, T. D., Kralchevsky, P. A., and Koyasu, S. Energy of adhesion of human T cells to adsorption layers of monoclonal antibodies measured by a film trapping technique, 545
Izu, L. T., Wier, W. G., and Balke, C. W. Theoretical analysis of the Ca^{2+} spark amplitude distribution, 1144

J

Jacobson, K. *See* Bausch, Ziemann, Boulbitch, Jacobson, and Sackmann
Jacquemond, V. *See* Csernoch, Bernengo, Szentesi, and Jacquemond
Jalife, J. *See* Beaumont, Davidenko, Davidenko, and Jalife
Jameson, D. M. Gregorio Weber, 1916–1997: a fluorescent lifetime, 419
Janes, N. *See* Moran and Janes
Jenkins, A. *See* Franks, Jenkins, Conti, Lieb, and Brick
Jiang, Y., Levine, H., and Glazier, J. A. Possible cooperation of differential adhesion and chemotaxis in mound formation of *Dictyostelium*, 2615
Jiménez, R. M. *See* Tang, Schulteis, Jiménez, and Papazian
Johnson, J. W. *See* Dilmore and Johnson
Johnson, M. B., Adamson, J. G., and Mauk, A. G. Functional comparison of specifically cross-linked hemoglobins biased toward the R and T states, 3078
Johnson, P. G. *See* Pawlowski, Gallo, Johnson, and Hui
Jonas, J., Ballard, L., and Nash, D. High resolution, high pressure NMR studies of proteins, 445
Jones, S. W. *See* Obejero-Paz, Jones, and Scarpa
Joniau, M. *See* Vanderheeren, Hanssens, Noyelle, Dael, and Joniau
Jovin, T. M. *See* Brock, Hink, and Jovin
——— *See* Kirsch, Subramaniam, Striker, Schnetter, Arndt-Jovin, and Jovin
Jovov, B. *See* Berdiev, Karlson, Jovov, Ripoll, Morris, Loffing-Cueni, Halpin, Stanton, Kleyman, and Ismailov

K

Kaatze, U. *See* Halstenberg, Heimburg, Hianik, Kaatze, and Krivanek

Kabakov, A. Y. Activation of K_{ATP} channels by Na/K pump in isolated cardiac myocytes and giant membrane patches, 2858

Kahn, P. C. *See* Kornblatt, Kornblatt, Rajotte, Hoa, and Kahn

Kaler, E. W. *See* Ashbaugh, Kaler, and Paulaitis

——— *See* Velev, Kaler, and Lenhoff

Kallen, R. G. *See* Chahine, Sirois, Marcotte, Chen, and Kallen

Kambara, T. *See* Kashimori, Funakubo, and Kambara

——— *See* Shuai, Kashimori, and Kambara

Kamishima, T. and McCarron, J. G. Ca^{2+} removal mechanisms in rat cerebral resistance size arteries, 1767

Kane, D. J. *See* Clarke, Kane, Apell, Roudna, and Bamberg

——— *See* Svergun, Aldag, Sieck, Altendorf, Koch, Kane, Kozin, and Grüber

Kargacin, G. J. *See* Pollock, Kargacin, and Kargacin

Kargacin, M. E. *See* Pollock, Kargacin, and Kargacin

Karlson, K. H. *See* Berdiev, Karlson, Jovov, Ripoll, Morris, Loffing-Cueni, Halpin, Stanton, Kleyman, and Ismailov

Kasemo, B. *See* Keller and Kasemo

Kashimori, Y. *See* Shuai, Kashimori, and Kambara

———, **Funakubo, H., and Kambara, T.** Effect of syncytium structure of receptor systems on stochastic resonance induced by chaotic potential fluctuation, 1700

Katsaras, J. Adsorbed to a rigid substrate, dimyristoylphosphatidylcholine multibilayers attain full hydration in all mesophases, 2157

Keef, K. D. *See* Koh, Bradley, Rae, Keef, Horowitz, and Sanders

Keizer, J. E. *See* Smith, Keizer, Stern, Lederer, and Cheng

Keizer, J. *See* Wagner, Li, Pearson, and Keizer

———, **Smith, G. D., Ponce-Dawson, S., and Pearson, J. E.** Saltatory propagation of Ca^{2+} waves by Ca^{2+} sparks, 595

Kelemen, C. *See* Artmann, Kelemen, Porst, Büldt, and Chien

Keller, C. A. and Kasemo, B. Surface specific kinetics of lipid vesicle adsorption measured with a quartz crystal microbalance, 1397

Keller, S. L. *See* Warriner, Keller, Idziak, Slack, Davidson, Zasadzinski, and Safinya

Keniry, M. A. *See* Strahan, Keniry, and Shafer

Keshive, M. *See* Chen, Keshive, and Deen

Khodakhah, K., Melishchuk, A., and Armstrong, C. M. Charge immobilization caused by modification of internal cysteines in squid Na channels, 2821

Khromov, A., Somlyo, A. V., and Somlyo, A. P. MgADP promotes a catch-like state developed through force-calcium hysteresis in tonic smooth muscle, 1926

Kiger, L., Rashid, A. K., Griffon, N., Haque, M., Moens, L., Gibson, Q. H., Poyart, C., and Marden, M. C. Trematode hemoglobins show exceptionally high oxygen affinity, 990

Killian, J. A. *See* Persson, Killian, and Lindblom

Kim, A. M. and Vergara, J. L. Supercharging accelerates T-tubule membrane potential changes in voltage clamped frog skeletal muscle fibers, 2098

Kim, K. S., Neu, J., and Oster, G. Curvature-mediated interactions between membrane proteins, 2274

Kinosian, H. J. *See* Selden, Kinosian, Newman, Lincoln, Hurwitz, Gershman, and Estes

———, **Newman, J., Lincoln, B., Selden, L. A., Gershman, L. C., and Estes, J. E.** Ca^{2+} regulation of gelsolin activity: binding and severing of F-actin, 3101

Kirsch, A. K., Subramaniam, V., Striker, G., Schnetter, C., Arndt-Jovin, D. J., and Jovin, T. M. Continuous wave two-photon scanning near-field optical microscopy, 1513

Kiselev, M. A. *See* Gordeliy, Kiselev, Lesieur, Pole, and Teixeira

Kist, T. B. L. *See* Desruisseaux, Slater, and Kist

Kitao, A. *See* Sugita and Kitao

Klein, M. L. *See* Tu, Klein, and Tobias

——— *See* Tu, Tarek, Klein, and Scharf

Klenerman, D. *See* Couling, Fischer, Klenerman, and Huber

Klenin, K. V. *See* Hammermann, Brun, Klenin, May, Tóth, and Langowski

Kleyman, T. R. *See* Berdiev, Karlson, Jovov, Ripoll, Morris, Loffing-Cueni, Halpin, Stanton, Kleyman, and Ismailov

Koch, M. H. J. *See* Sass, Gessenich, Koch, Oesterhelt, Dencher, Büldt, and Rapp

——— *See* Svergun, Aldag, Sieck, Altendorf, Koch, Kane, Kozin, and Grüber

Koh, S. D., Bradley, K. K., Rae, M. G., Keef, K. D., Horowitz, B., and Sanders, K. M. Basal activation of ATP-sensitive potassium channels in murine colonic smooth muscle cell, 1793

Kolinski, A. *See* Sikorski, Kolinski, and Skolnick

Kombrabail, M. H. *See* Prabhananda and Kombrabail

Konvicka, K., Guarnieri, F., Ballesteros, J. A., and Weinstein, H. A proposed structure for transmembrane segment 7 of G protein-coupled receptors incorporating an Asn-Pro/Asp-Pro motif, 601

Koopmann, R. *See* Böhle, Steinbis, Biskup, Koopmann, and Benndorf

Kornblatt, J. A. The water channel of cytochrome *c* oxidase: inferences from inhibitor studies, 3127

———, **Kornblatt, M. J., Rajotte, I., Hoa, G. H. B., and Kahn, P. C.** Thermodynamic volume cycles for electron transfer in the cytochrome *c* oxidase and for the binding of cytochrome *c* to cytochrome *c* oxidase, 435

Kornblatt, M. J. *See* Kornblatt, Kornblatt, Rajotte, Hoa, and Kahn

Kornyshev, A. A. and Leikin, S. Symmetry laws for interaction between helical macromolecules, 2513

Korolev, N., Lyubartsev, A., and Nordenskiöld, L. Application of polyelectrolyte theories for analysis of DNA melting in the presence of Na^+ and Mg^{2+} ions, 3041

Koyasu, S. *See* Ivanov, Hadjiiski, Denkov, Gurkov, Kralchevsky, and Koyasu

Koynova, R. *See* Tenchov, Koynova, and Rapp

Kozin, M. B. *See* Svergun, Aldag, Sieck, Altendorf, Koch, Kane, Kozin, and Grüber

Kozlov, M. M. and Chernomordik, L. V. A mechanism of protein-mediated fusion: coupling between refolding of the influenza hemagglutinin and lipid rearrangements, 1384

Kragh-Hansen, U., le Maire, M., and Møller, J. V. The mechanism of detergent solubilization of liposomes and protein-containing membranes, 2932

Kralchevsky, P. A. *See* Ivanov, Hadjiiski, Denkov, Gurkov, Kralchevsky, and Koyasu

Krammer, A. *See* Lu, Isralewitz, Krammer, Vogel, and Schulten

Kriechbaum, M. *See* Forstner, Kriechbaum, Laggner, and Wallimann

Krivanek, R. *See* Halstenberg, Heimburg, Hianik, Kaatze, and Krivanek

Kroes, S. J., Canters, G. W., Gilardi, G., van Hoek, A., and Visser, A. J. W. G. Time-resolved fluorescence study of azurin variants: conformational heterogeneity and tryptophan mobility, 2441

Kropf, A. J., Bunker, B. A., Eisner, M., Moss, S. C., Zecca, L., Stroppolo, A., and Crippa, P. R. X-ray absorption fine-structure spectroscopy studies of Fe sites in natural human neuromelanin and synthetic analogues, 3135

Kucera, J. P. *See* Rohr and Kucera

Kuhl, T. L., Majewski, J., Wong, J. Y., Steinberg, S., Leckband, D. E., Israelachvili, J. N., and Smith, G. S. A neutron reflectivity study of polymer-modified phospholipid monolayers at solid-solution interface: polyethylene glycol-lipids on silane-modified substrates, 2352

Kumar, S. and Bansal, M. Geometrical and sequence characteristics of α-helices in globular proteins, 1935

Kumazawa, T., Brand, J. G., and Teeter, J. H. Amino acid-activated channels in the catfish taste system, 2757
Kuo, C.-C. Imipramine inhibition of transient K^+ current: an external open-channel blocker preventing fast inactivation, 2845
Kurita, A. *See* Shibata, Kurita, and Kushida
Kushida, T. *See* Shibata, Kurita, and Kushida
Kute, S. M. *See* Gaver and Kute
Kuyucak, S. *See* Chung, Hoyles, Allen, and Kuyucak

L

Labarta, A. *See* Pardo, Sepulcre, Cladera, Duñach, Labarta, Tejada, and Padrós
Laboisse, C. *See* Bertrand, Durand, Saidel, Laboisse, and Hopfer
Lacapère, J.-J., Stokes, D. L., Olofsson, A., and Rigaud, J.-L. Two-dimensional crystallization of Ca-ATPase by detergent removal, 1319
Laffafian, I. and Hallett, M. B. Lipid-assisted microinjection: introducing material into the cytosol and membranes of small cells, 2558
Lafleur, M. *See* Rex, Zuckermann, Lafleur, and Silvius
Laggner, P. *See* Forstner, Kriechbaum, Laggner, and Wallimann
Langowski, J. *See* Hammermann, Brun, Klenin, May, Tóth, and Langowski
Langs, D. A. *See* Burkhart, Gassman, Langs, Pangborn, and Duax
Lanyi, J. K. *See* Brown, Dioumaev, Needleman, and Lanyi
Lasch, P., Schultz, C. P., and Naumann, D. The influence of poly-(L-lysine) and porin on the domain structure of mixed vesicles composed of lipopolysaccharide and phospholipid: an infrared spectroscopic study, 840
Laurents, D. V. and Baldwin, R. L. Protein folding: matching theory and experiment, 428
Lavery, R. *See* Flatters and Lavery
Laws, W. R. *See* Bialik, Wolf, Rachofsky, Ross, and Laws
Lazaro, N. *See* Hirsh, Lazaro, Wright, Boggs, McIntosh, Schaefer, and Blazyk
Le Grimellec, C., Lesniewska, E., Giocondi, M.-C., Finot, E., Vié, V., and Goudonnet, J.-P. Imaging of the surface of living cells by low-force contact-mode atomic force microscopy, 695
le Maire, M. *See* Kragh-Hansen, le Maire, and Møller
Leckband, D. E. *See* Kuhl, Majewski, Wong, Steinberg, Leckband, Israelachvili, and Smith
Lederer, W. J. *See* Smith, Keizer, Stern, Lederer, and Cheng
Lees, S. Interpreting the equatorial diffraction pattern of collagenous tissues in the light of molecular motion, 1058
Lehman, S. L. *See* Getz, Cooke, and Lehman
Lehmann-Horn, F. *See* Struk, Lehmann-Horn, and Melzer
Lehnert, U., Réat, V., Weik, M., Zaccaï, G., and Pfister, C. Thermal motions in bacteriorhodopsin at different hydration levels studied by neutron scattering: correlation with kinetics and light-induced conformational changes, 1945
Leibl, W. *See* Paillotin, Leibl, Gapiński, Breton, and Dobek
Leikin, S. *See* Kornyshev and Leikin
Leinwand, L. A. *See* Roopnarine and Leinwand
Lenhoff, A. M. *See* Neal, Asthagiri, and Lenhoff
——— *See* Velev, Kaler, and Lenhoff
Leone, M. *See* Falconi, Desideri, Cupane, Leone, Ciccotti, Peterson, Friedman, Gambacurta, and Ascoli
Lesieur, P. *See* Gordeliy, Kiselev, Lesieur, Pole, and Teixeira
Lesniewska, E. *See* Le Grimellec, Lesniewska, Giocondi, Finot, Vié, and Goudonnet
Lester, H. A. *See* Silverman, Lester, and Dougherty
Levine, H. *See* Jiang, Levine, and Glazier
Levitan, I. and Garber, S. S. Anion competition for a volume-regulated current, 226
Lewis, A. *See* Rousso, Gat, Lewis, Sheves, and Ottolenghi
Leybaert, L., Sneyd, J., and Sanderson, M. J. A simple method for high temporal resolution calcium imaging with dual excitation dyes, 2025
Li, C. *See* Butler, Mooers, Li, Narayan, and Siegman
Li, J. *See* Litwin, Li, and Bridge
Li, M. *See* Cowman, Li, and Balazs
Li, Y.-X. *See* Wagner, Li, Pearson, and Keizer
Liang, J. and McGee, M. P. Hydration structure of antithrombin conformers and water transfer during reactive loop insertion, 573
Lieb, W. R. *See* Franks, Jenkins, Conti, Lieb, and Brick
Lin, J. *See* Wang, Lin, and Schwartz
Lincoln, B. *See* Kinosian, Newman, Lincoln, Selden, Gershman, and Estes
——— *See* Selden, Kinosian, Newman, Lincoln, Hurwitz, Gershman, and Estes
Lindau, M. *See* Lollike, Borregaard, and Lindau
Lindblom, G. *See* Andersson, Rilfors, Orädd, and Lindblom
——— *See* Persson, Killian, and Lindblom
Linke, W. A. and Granzier, H. A spring tale: new facts on titin elasticity, 2613
Lipkind, G. *See* Penzotti, Fozzard, Lipkind, and Dudley
Litman, B. J. *See* Mitchell and Litman
Litwin, S. E., Li, J., and Bridge, J. H. B. Na-Ca exchange and the trigger for sarcoplasmic reticulum Ca release: studies in adult rabbit ventricular myocytes, 359
Lo, C.-C., Hsu, J.-H., Sheu, Y.-C., Chiang, C.-M., Wu, W.-g., Fann, W., and Tsao, P.-H. Effect of D57N mutation on membrane activity and molecular unfolding of cobra cardiotoxin, 2382
Loboda, A. *See* Melishchuk, Loboda, and Armstrong
Loew, L. M. *See* Fink, Morgan, and Loew
Loew, R. A. T. L. M. A tribute to Fredric Stewart Fay: June 5, 1943–March 18, 1997, 1599
Loffing-Cueni, D. *See* Berdiev, Karlson, Jovov, Ripoll, Morris, Loffing-Cueni, Halpin, Stanton, Kleyman, and Ismailov
Logunov, I. *See* Humphrey, Lu, Logunov, Werner, and Schulten
Lollike, K., Borregaard, N., and Lindau, M. Capacitance flickers and pseudoflickers of small granules, measured in the cell-attached configuration, 53
Lomize, A. L. *See* Pogozheva, Lomize, and Mosberg
Longa, S. D., Pin, S., Cortès, R., Soldatov, A. V., and Alpert, B. Fe-heme conformations in ferric myoglobin, 3154
Lu, H. *See* Humphrey, Lu, Logunov, Werner, and Schulten
———, **Israelewitz, B., Krammer, A., Vogel, V., and Schulten, K.** Unfolding of titin immunoglobulin domains by steered molecular dynamics simulation, 662
Lucia, S. *See* Cercignani, Lucia, and Petracchi
Ludmann, K., Gergely, C., Dér, A., and Váró, G. Electric signals during the bacteriorhodopsin photocycle, determined over a wide pH range, 3120
———, ———, **and Váró, G.** Kinetic and thermodynamic study of the bacteriorhodopsin photocycle over a wide pH range, 3110
Lüttenberg, B. *See* Chizhov, Schmies, Seidel, Sydor, Lüttenberg, and Engelhard
Lyubartsev, A. *See* Korolev, Lyubartsev, and Nordenskiöld

M

Macgregor, R. B., Jr. *See* Protozanova and Macgregor
Mach, J. *See* Meléndez, Meléndez-Hevia, Mas, Mach, and Cascante
Maéda, Y. *See* Oda, Makino, Yamashita, Namba, and Maéda
Magrassi, R. *See* Pusch, Magrassi, Wollnik, and Conti
Mahoney, M. G., Slakey, L. L., Benham, C. D., and Gross, D. J. Time course of the initial $[Ca^{2+}]_i$ response to extracellular ATP in smooth muscle depends on $[Ca^{2+}]_e$ and ATP concentration, 2050

Majewski, J. *See* Kuhl, Majewski, Wong, Steinberg, Leckband, Israelachvili, and Smith
———, Wong, J. Y., Park, C. K., Seitz, M., Israelachvili, J. N., and Smith, G. S. Structural studies of polymer-cushioned lipid bilayers, 2363
Makarov, V. A., Feig, M., Andrews, B. K., and Pettitt, B. M. Diffusion of solvent around biomolecular solutes: a molecular dynamics simulation study, 150
Makino, K. *See* Oda, Makino, Yamashita, Namba, and Maéda
Malmqvist, U. *See* Arner, Malmqvist, and Rigler
Mandell, A. J. *See* Selz, Mandell, and Shlesinger
Mäntele, W. *See* Barth and Mäntele
Marcotte, P. *See* Chahine, Sirois, Marcotte, Chen, and Kallen
Marden, M. C. *See* Kiger, Rashid, Griffon, Haque, Moens, Gibson, Poyart, and Marden
Margeat, E., Grimellec, C. L., and Royer, C. A. Visualization of *trp* repressor and its complexes with DNA by atomic force microscopy, 2712
Mark, L. A. *See* Williams, Mark, and Eichholtz
Marsh, D. Nonaxiality in infrared dichroic ratios of polytopic transmembrane proteins, 354
——— *See* Arora and Marsh
Martin, C. H. *See* Tallent, Stuart, Song, Schmidt, Martin, and Birge
Mas, F. *See* Meléndez, Meléndez-Hevia, Mas, Mach, and Cascante
Massey, J. B. and Pownall, H. J. Interaction of α-tocopherol with model human high density lipoproteins, 2923
Masson, M. *See* Heywang, Chazalet, Masson, and Bolard
Mathes, A. and Engelhardt, H. Nonlinear and asymmetric open channel characteristics of an ion-selective porin in planar membranes, 1255
Maughan, P. *See* Busath, Thulin, Hendershot, Phillips, Maughan, Cole, Bingham, Morrison, Baird, Hendershot, Cotten, and Cross
Mauk, A. G. *See* Johnson, Adamson, and Mauk
Maxfield, F. R. *See* Mukherjee, Zha, Tabas, and Maxfield
May, R. *See* Hammermann, Brun, Klenin, May, Tóth, and Langowski
May, S. *See* Harries, May, Gelbart, and Ben-Shaul
McCammon, J. A. *See* Smart and McCammon
McCarron, J. G. *See* Kamishima and McCarron
McDowell, L. M. *See* Baugher, Goetz, McDowell, Huang, Wooley, and Schaefer
McGee, M. P. *See* Liang and McGee
McGrath, J. L., Tardy, Y., Dewey, C. F., Jr., Meister, J. J., and Hartwig, J. H. Simultaneous measurements of actin filament turnover, filament fraction, and monomer diffusion in endothelial cells, 2070
McIntosh, T. J. *See* Hirsh, Lazaro, Wright, Boggs, McIntosh, Schaefer, and Blazyk
McMullen, T. *See* Ameen, Bishop, and McMullen
Meek, K. M. *See* Newton and Meek
Meissner, G. *See* Xu and Meissner
Meister, J. J. *See* McGrath, Tardy, Dewey, Meister, and Hartwig
Meléndez, R., Meléndez-Hevia, E., Mas, F., Mach, J., and Cascante, M. Physical constraints in the synthesis of glycogen that influence its structural homogeneity: a two-dimensional approach, 106
Meléndez-Hevia, E. *See* Meléndez, Meléndez-Hevia, Mas, Mach, and Cascante
Melishchuk, A., Loboda, A., and Armstrong, C. M. Loss of *Shaker* K channel conductance in 0 K^+ solutions: role of the voltage sensor, 1828
——— *See* Khodakhah, Melishchuk, and Armstrong
Melzer, W. *See* Struk, Lehmann-Horn, and Melzer
Meneghini, C. and Morante, S. The active site structure of tetanus neurotoxin resolved by multiple scattering analysis in x-ray absorption spectroscopy, 1953
Meyer, T. E. *See* Ujj, Devanathan, Meyer, Cusanovich, Tollin, and Atkinson
Mignery, G. A. *See* Ramos-Franco, Fill, and Mignery
Mignery, G. *See* Ramos-Franco, Caenepeel, Fill, and Mignery
Minamikawa, T. *See* Bowser, Minamikawa, Nagley, and Williams
Miseta, A. *See* Bogner, Csutora, Cameron, Wheatley, and Miseta
Misra, S. Contribution of proton release to the B2 photocurrent of bacteriorhodopsin, 382
Misra, V. K., Hecht, J. L., Yang, A.-S., and Honig, B. Electrostatic contributions to the binding free energy of the λcI repressor to DNA, 2262
Mistry, K. *See* Woda, Schneider, Patel, Mistry, and Berman
Mitchell, D. C. and Litman, B. J. Effect of cholesterol on molecular order and dynamics in highly polyunsaturated phospholipid bilayers, 896
Moens, L. *See* Kiger, Rashid, Griffon, Haque, Moens, Gibson, Poyart, and Marden
Møller, J. V. *See* Kragh-Hansen, le Maire, and Møller
Molloy, J. E. *See* Veigel, Bartoo, White, Sparrow, and Molloy
Mooers, S. U. *See* Butler, Mooers, Li, Narayan, and Siegman
Moran, L. and Janes, N. Tracking phospholipid populations in polymorphism by sideband analyses of ^{31}P magic angle spinning NMR, 867
Morante, S. *See* Meneghini and Morante
Moreno, B. *See* Urbina, Moreno, Arnold, Taron, Orlean, and Oldfield
Morgan, F. *See* Fink, Morgan, and Loew
Morimoto, T. *See* Chang, Girod, Morimoto, O'Donoghue, and Popov
Morris, R. *See* Berdiev, Karlson, Jovov, Ripoll, Morris, Loffing-Cueni, Halpin, Stanton, Kleyman, and Ismailov
Morrison, S. *See* Busath, Thulin, Hendershot, Phillips, Maughan, Cole, Bingham, Morrison, Baird, Hendershot, Cotten, and Cross
Morton, T. A. *See* Myszka, He, Dembo, Morton, and Goldstein
Mosberg, H. I. *See* Pogozheva, Lomize, and Mosberg
Moses, E. *See* Bar-Ziv, Moses, and Nelson
Moss, S. C. *See* Kropf, Bunker, Eisner, Moss, Zecca, Stroppolo, and Crippa
Mukherjee, S., Zha, X., Tabas, I., and Maxfield, F. R. Cholesterol distribution in living cells: fluorescence imaging using dehydroergosterol as a fluorescent cholesterol analog, 1915
Müller, T. H. *See* Naraghi, Müller, and Neher
Munnelly, H. M., Roess, D. A., Wade, W. F., and Barisas, B. G. Interferometric fringe fluorescence photobleaching recovery interrogates entire cell surfaces, 1131
Muñoz, A., García, L., and Guerrero-Hernández, A. In situ characterization of the Ca^{2+} sensitivity of large-conductance Ca^{2+}-activated K^+ channels: implications for their use as near-membrane Ca^{2+} indicators in smooth muscle cells, 1774
Myszka, D. G., He, X., Dembo, M., Morton, T. A., and Goldstein, B. Extending the range of rate constants available from BIACORE: interpreting mass transport-influenced binding data, 583

N

Nagaswami, C. *See* Di Stasio, Nagaswami, Weisel, and Di Cera
Nagle, J. F. *See* Tristram-Nagle, Petrache, and Nagle
Nagley, P. *See* Bowser, Minamikawa, Nagley, and Williams
Nakamura, H. *See* Ohmura, Nakamura, Niki, Cusanovich, and Akutsu
Namba, K. *See* Oda, Makino, Yamashita, Namba, and Maéda
Naraghi, M., Müller, T. H., and Neher, E. Two-dimensional determination of the cellular Ca^{2+} binding in bovine chromaffin cells, 1635
Narayan, S. *See* Butler, Mooers, Li, Narayan, and Siegman

Nash, D. *See* Jonas, Ballard, and Nash
Naumann, D. *See* Lasch, Schultz, and Naumann
Navon, G. *See* Taler, Navon, and Becker
Neal, B. L., Asthagiri, D., and Lenhoff, A. M. Molecular origins of osmotic second virial coefficients of proteins, 2469
Needleman, R. *See* Brown, Dioumaev, Needleman, and Lanyi
Neher, E. *See* Naraghi, Müller, and Neher
Nelson, D. J. *See* Holevinsky and Nelson
Nelson, P. *See* Bar-Ziv, Moses, and Nelson
Neu, J. *See* Kim, Neu, and Oster
Neumann, T., Fauver, M., and Pollack, G. H. Elastic properties of isolated thick filaments measured by nanofabricated cantilevers, 938
Newman, J. *See* Kinosian, Newman, Lincoln, Selden, Gershman, and Estes
——— *See* Selden, Kinosian, Newman, Lincoln, Hurwitz, Gershman, and Estes
Newton, R. H. and Meek, K. M. The integration of the corneal and limbal fibrils in the human eye, 2508
Niki, K. *See* Ohmura, Nakamura, Niki, Cusanovich, and Akutsu
Nina, M. *See* Bernèche, Nina, and Roux
Nonner, W. and Eisenberg, B. Ion permeation and glutamate residues linked by Poisson-Nernst-Planck theory in L-type calcium channels, 1287
Nordenskiöld, L. *See* Korolev, Lyubartsev, and Nordenskiöld
Nossal, R. Cell transit analysis of ligand-induced stiffening of polymorphonuclear leukocytes, 1541
Noyelle, K. *See* Vanderheeren, Hanssens, Noyelle, Dael, and Joniau
Nuccitelli, R. *See* Fontanilla and Nuccitelli
Nyitrai, M. *See* Hild, Nyitrai, Belágyi, and Somogyi

O

Obejero-Paz, C. A., Jones, S. W., and Scarpa, A. Multiple channels mediate calcium leakage in the A7r5 smooth muscle-derived cell line, 1271
Oda, T., Makino, K., Yamashita, I., Namba, K., and Maéda, Y. Effect of the length and effective diameter of F-actin on the filament orientation in liquid crystalline sols measured by x-ray fiber diffraction, 2672
Odde, D. J. and Buettner, H. M. Autocorrelation function and power spectrum of two-state random processes used in neurite guidance, 1189
Odijk, T. Hexagonally packed DNA within bacteriophage T7 stabilized by curvature stress, 1223
O'Donoghue, M. *See* Chang, Girod, Morimoto, O'Donoghue, and Popov
Oesterhelt, D. *See* Sass, Gessenich, Koch, Oesterhelt, Dencher, Büldt, and Rapp
Ogawa, H., Stokes, D. L., Sasabe, H., and Toyoshima, C. Structure of the Ca^{2+} pump of sarcoplasmic reticulum: a view along the lipid bilayer at 9-Å resolution, 41
Ohmura, T., Nakamura, H., Niki, K., Cusanovich, M. A., and Akutsu, H. Ionic strength-dependent physicochemical factors in cytochrome c_3 regulating the electron transfer rate, 1483
Oldfield, E. *See* Urbina, Moreno, Arnold, Taron, Orlean, and Oldfield
Olofsson, A. *See* Lacapère, Stokes, Olofsson, and Rigaud
Orädd, G. *See* Andersson, Rilfors, Orädd, and Lindblom
O'Reilly, W. J. *See* Spooner, O'Reilly, Homans, Rutherford, Henderson, and Watts
Orlean, P. *See* Urbina, Moreno, Arnold, Taron, Orlean, and Oldfield
Oster, G. *See* Kim, Neu, and Oster
Otto, H. *See* Behrens, Otto, Stuhrmann, and Heyn
Ottolenghi, M. *See* Rousso, Gat, Lewis, Sheves, and Ottolenghi
Özdemir, S. *See* Gradinaru, Özdemir, Gülen, Stokkum, Grondelle, and Amerongen

P

Pace, C. N. and Scholtz, J. M. A helix propensity scale based on experimental studies of peptides and proteins, 422
Padrós, E. *See* Pardo, Sepulcre, Cladera, Duñach, Labarta, Tejada, and Padrós
——— *See* Villaverde, Cladera, Hartog, Berden, Padrós, and Duñach
Paillotin, G., Leibl, W., Gapiński, J., Breton, J., and Dobek, A. Light gradients in spherical photosynthetic vesicles, 124
Pålsson, L.-O. *See* Peterman, Wenk, Pullerits, Pålsson, Grondelle, Dekker, Rögner, and van Amerongen
Pangborn, W. A. *See* Burkhart, Gassman, Langs, Pangborn, and Duax
Papazian, D. M. *See* Tang, Schulteis, Jiménez, and Papazian
Pardo, L., Pastor, N., and Weinstein, H. Selective binding of the TATA box-binding protein to the TATA box-containing promoter: analysis of structural and energetic factors, 2411
———, **Sepulcre, F., Cladera, J., Duñach, M., Labarta, A., Tejada, J., and Padrós, E.** Experimental and theoretical characterization of the high-affinity cation-binding site of the purple membrane, 777
Parent, L. *See* Bernatchez, Talwar, and Parent
Park, C. K. *See* Majewski, Wong, Park, Seitz, Israelachvili, and Smith
Park, S. Y., Harries, D., and Gelbart, W. M. Topological defects and the optimum size of DNA condensates, 714
Parola, A. H. *See* Zamai, Caiolfa, Pines, Pines, and Parola
Parsegian, V. A. *See* Rostovtseva, Aguilella, Vodyanoy, Bezrukov, and Parsegian
Pasternack, R. F., Goldsmith, J. I., Szép, S., and Gibbs, E. J. A spectroscopic and thermodynamic study of porphyrin/DNA supramolecular assemblies, 1024
Pastor, N. *See* Pardo, Pastor, and Weinstein
Patel, A. B., Srivastava, S., Phadke, R. S., and Govil, G. Arginine activates glycolysis of goat epididymal spermatozoa: an NMR study, 1522
Patel, K. *See* Schneider, Patel, and Berman
——— *See* Woda, Schneider, Patel, Mistry, and Berman
Paulaitis, M. E. *See* Ashbaugh, Kaler, and Paulaitis
Pawlowski, P., Gallo, S. A., Johnson, P. G., and Hui, S. W. Electrorheological modeling of the permeabilization of the stratum corneum: theory and experiment, 2721
Pearson, D. C., Jr. and Gross, E. L. Brownian dynamics study of the interaction between plastocyanin and cytochrome *f*, 2698
Pearson, J. E. *See* Keizer, Smith, Ponce-Dawson, and Pearson
Pearson, J. *See* Wagner, Li, Pearson, and Keizer
Penzotti, J. L., Fozzard, H. A., Lipkind, G., and Dudley, S. C., Jr. Differences in saxitoxin and tetrodotoxin binding revealed by mutagenesis of the Na^+ channel outer vestibule, 2647
Periasamy, N. and Verkman, A. S. Analysis of fluorophore diffusion by continuous distributions of diffusion coefficients: application to photobleaching measurements of multicomponent and anomalous diffusion, 557
Persson, S., Killian, J. A., and Lindblom, G. Molecular ordering of interfacially localized tryptophan analogs in ester- and ether-lipid bilayers studied by ^{2}H-NMR, 1365
Peskin, C. S. *See* Tao and Peskin
Peterman, E. J. G., Wenk, S.-O., Pullerits, T., Pålsson, L.-O., Grondelle, R., Dekker, J. P., Rögner, M., and van Amerongen, H. Fluorescence and absorption spectroscopy of the weakly fluorescent chlorophyll *a* in cytochrome b_6f of *Synechocystis PCC6803*, 389

Peterson, E. S. *See* Falconi, Desideri, Cupane, Leone, Ciccotti, Peterson, Friedman, Gambacurta, and Ascoli
Petracchi, D. *See* Cercignani, Lucia, and Petracchi
——— **and Cercignani, G.** A comment on the sensitivity of fish to low electric fields, 2117
Petrache, H. I. *See* Tristram-Nagle, Petrache, and Nagle
Pettitt, B. M. *See* Feig and Pettitt
——— *See* Makarov, Feig, Andrews, and Pettitt
Pfahnl, A. and Dahl, G. Localization of a voltage gate in connexin46 gap junction hemichannels, 2323
Pfeiffer, D. R. *See* Wang, Taylor, and Pfeiffer
Pfister, C. *See* Lehnert, Réat, Weik, Zaccaï, and Pfister
Phadke, R. S. *See* Patel, Srivastava, Phadke, and Govil
Phillips, B. L. *See* Tsvetkova, Phillips, Crowe, Crowe, and Risbud
Phillips, L. R. *See* Busath, Thulin, Hendershot, Phillips, Maughan, Cole, Bingham, Morrison, Baird, Hendershot, Cotten, and Cross
Pin, S. *See* Longa, Pin, Cortès, Soldatov, and Alpert
Pines, D. *See* Zamai, Caiolfa, Pines, Pines, and Parola
Pines, E. *See* Zamai, Caiolfa, Pines, Pines, and Parola
Piston, D. W. *See* Blackman, Piston, and Beth
Pogozheva, I. D., Lomize, A. L., and Mosberg, H. I. Opioid receptor three-dimensional structures from distance geometry calculations with hydrogen bonding constraints, 612
Pohl, E. E. *See* Pohl, Saparov, Pohl, Evtodienko, Agapov, and Tonevitsky
Pohl, P., Saparov, S. M., and Antonenko, Y. N. The size of the unstirred layer as a function of the solute diffusion coefficient, 1403
———, **Saparov, S. M., Pohl, E. E., Evtodienko, V. Y., Agapov, I. I., and Tonevitsky, A. G.** Dehydration of model membranes induced by lectins from *Ricinus communis* and *Viscum album*, 2868
Pole, A. V. *See* Gordeliy, Kiselev, Lesieur, Pole, and Teixeira
Pollack, G. H. *See* Neumann, Fauver, and Pollack
Pollock, N. S., Kargacin, M. E., and Kargacin, G. J. Chloride channel blockers inhibit Ca^{2+} uptake by the smooth muscle sarcoplasmic reticulum, 1759
Pomès, R. and Roux, B. Free energy profiles for H^+ conduction along hydrogen-bonded chains of water molecules, 33
Ponce-Dawson, S. *See* Keizer, Smith, Ponce-Dawson, and Pearson
Popov, S. *See* Chang, Girod, Morimoto, O'Donoghue, and Popov
Porschke, D. Time-resolved analysis of macromolecular structures during reactions by stopped-flow electrooptics, 528
Porst, D. *See* Artmann, Kelemen, Porst, Büldt, and Chien
Posner, R. G. *See* Swift, Posner, and Hammer
Powell, J. A. *See* Strube, Beurg, Sukhareva, Ahern, Powell, Powers, Gregg, and Coronado
Powers, P. A. *See* Strube, Beurg, Sukhareva, Ahern, Powell, Powers, Gregg, and Coronado
Pownall, H. J. *See* Massey and Pownall
Poyart, C. *See* Kiger, Rashid, Griffon, Haque, Moens, Gibson, Poyart, and Marden
Prabhananda, B. S. and Kombrabail, M. H. Evidence for dimer participation and evidence against channel mechanism in A23187-mediated monovalent metal ion transport across phospholipid vesicular membrane, 1749
Prevelige, P. E., Jr. *See* Schwartz, Shor, Prevelige, and Berger
Prieto, M. *See* Santos, Ter-Ovanesyan, Zasadzinski, Prieto, and Castanho
Prince, R. J. and Sine, S. M. Epibatidine activates muscle acetylcholine receptors with unique site selectivity, 1817
Prosser, R. S., Volkov, V. B., and Shiyanovskaya, I. V. Novel chelate-induced magnetic alignment of biological membranes, 2163
Protozanova, E. and Macgregor, R. B., Jr. Circular dichroism of DNA frayed wires, 982
Pullerits, T. *See* Peterman, Wenk, Pullerits, Pålsson, Grondelle, Dekker, Rögner, and van Amerongen
Pusch, M., Magrassi, R., Wollnik, B., and Conti, F. Activation and inactivation of homomeric KvLQT1 potassium channels, 785
Putz, G., Walch, M., Van Eijk, M., and Haagsman, H. P. A spreading technique for forming film in a captive bubble, 2229

Q

Quigley, E. P., Emerick, A. J., Crumrine, D. S., and Cukierman, S. Attenuation of proton currents by methanol in a dioxolane-linked gramicidin A channel in different lipid bilayers, 2811
Quist, P.-O. ^{13}C solid-state NMR of gramicidin A in a lipid membrane, 2478

R

Rabitz, H. *See* Wang, Wong, and Rabitz
Rachofsky, E. L. *See* Bialik, Wolf, Rachofsky, Ross, and Laws
Rae, M. G. *See* Koh, Bradley, Rae, Keef, Horowitz, and Sanders
Rajotte, I. *See* Kornblatt, Kornblatt, Rajotte, Hoa, and Kahn
Ramos-Franco, J., Caenepeel, S., Fill, M., and Mignery, G. Single channel function of recombinant type-1 inositol 1,4,5-trisphosphate receptor ligand binding domain splice variants, 2783
———, **Fill, M., and Mignery, G. A.** Isoform-specific function of single inositol 1,4,5-trisphosphate receptor channels, 834
Rapp, G. *See* Sass, Gessenich, Koch, Oesterhelt, Dencher, Büldt, and Rapp
——— *See* Tenchov, Koynova, and Rapp
———, **Ashley, C. C., Bagni, M. A., Griffiths, P. J., and Cecchi, G.** Volume changes of the myosin lattice resulting from repetitive stimulation of single muscle fibers, 2984
Rashid, A. K. *See* Kiger, Rashid, Griffon, Haque, Moens, Gibson, Poyart, and Marden
Réat, V. *See* Lehnert, Réat, Weik, Zaccaï, and Pfister
Reinhart, G. D. *See* Tlapak-Simmons and Reinhart
Renger, G. *See* Schödel, Irrgang, Voigt, and Renger
Rex, S., Zuckermann, M. J., Lafleur, M., and Silvius, J. R. Experimental and Monte Carlo simulation studies of the thermodynamics of polyethyleneglycol chains grafted to lipid bilayers, 2900
Rich, T. C. and Snyders, D. J. Evidence for multiple open and inactivated states of the hKv1.5 delayed rectifier, 183
Rief, M., Gautel, M., Schemmel, A., and Gaub, H. E. The mechanical stability of immunoglobulin and fibronectin III domains in the muscle protein titin measured by atomic force microscopy, 3008
Rieke, F. and Baylor, D. A. Origin of reproducibility in the responses of retinal rods to single photons, 1836
Rigaud, J.-L. *See* Lacapère, Stokes, Olofsson, and Rigaud
Rigler, R. *See* Arner, Malmqvist, and Rigler
Rilfors, L. *See* Andersson, Rilfors, Orädd, and Lindblom
Riou, S. A., Hsu, S. L., and Stidham, H. D. Structural study of poly(β-benzyl-L-aspartate) monolayers at air-liquid interfaces, 2451
Ripoll, D. R. *See* Vila, Ripoll, Villegas, Vorobjev, and Scheraga
Ripoll, P.-J. *See* Berdiev, Karlson, Jovov, Ripoll, Morris, Loffing-Cueni, Halpin, Stanton, Kleyman, and Ismailov
Risbud, S. H. *See* Tsvetkova, Phillips, Crowe, Crowe, and Risbud
Rodriguez, F. *See* Eynard, Rodriguez, Trotard, and Teissié
Roess, D. A. *See* Munnelly, Roess, Wade, and Barisas
Rögner, M. *See* Peterman, Wenk, Pullerits, Pålsson, Grondelle, Dekker, Rögner, and van Amerongen

Rohr, S. and Kucera, J. P. Optical recording system based on a fiber optic image conduit: assessment of microscopic activation patterns in cardiac tissue, 1062
Rols, M.-P. and Teissié, J. Electropermeabilization of mammalian cells to macromolecules: control by pulse duration, 1415
Roopnarine, O. and Leinwand, L. A. Functional analysis of myosin mutations that cause familial hypertrophic cardiomyopathy, 3023
Rosenheck, K. Evaluation of the electrostatic field strength at the site of exocytosis in adrenal chromaffin cells, 1237
Ross, J. B. A. *See* Bialik, Wolf, Rachofsky, Ross, and Laws
Rostovtseva, T. K., Aguilella, V. M., Vodyanoy, I., Bezrukov, S. M., and Parsegian, V. A. Membrane surface-charge titration probed by gramicidin A channel conductance, 1783
Roudna, M. *See* Clarke, Kane, Apell, Roudna, and Bamberg
Rousso, I., Gat, Y., Lewis, A., Sheves, M., and Ottolenghi, M. Effective light-induced hydroxylamine reactions occur with C_{13}=C_{14} non-isomerizable bacteriorhodopsin pigments, 413
Roux, B. *See* Bernèche, Nina, and Roux
——— *See* Pomès and Roux
Royer, C. A. *See* Margeat, Grimellec, and Royer
——— *See* Vidugiris and Royer
Rutherford, N. G. *See* Spooner, O'Reilly, Homans, Rutherford, Henderson, and Watts

S

Sabra, M. C., Uitdehaag, J. C. M., and Watts, A. General model for lipid-mediated two-dimensional array formation of membrane proteins: application to bacteriorhodopsin, 1180
Sachs, F. *See* Akinlaja and Sachs
Sackmann, E. *See* Bausch, Ziemann, Boulbitch, Jacobson, and Sackmann
Safinya, C. R. *See* Warriner, Keller, Idziak, Slack, Davidson, Zasadzinski, and Safinya
Safran, S. A. *See* Dan and Safran
Saidel, G. M. *See* Bertrand, Durand, Saidel, Laboisse, and Hopfer
Saito, I. *See* Yang, Sugiyama, Ikeda, Saito, and Wang
Saito, K. *See* Tanaka, Ishijima, Honda, Saito, and Yanagida
Salamon, Z., Huang, D., Cramer, W. A., and Tollin, G. Coupled plasmon-waveguide resonance spectroscopy studies of the cytochrome b_6f/plastocyanin system in supported lipid bilayer membranes, 1874
Salesse, C. *See* Gallant, Desbat, Vaknin, and Salesse
Salmon, E. D. *See* Waterman-Storer and Salmon
Sanders, K. M. *See* Koh, Bradley, Rae, Keef, Horowitz, and Sanders
Sanderson, M. J. *See* Leybaert, Sneyd, and Sanderson
Sandmaier, B. M. *See* Tan, Sandmaier, and Stayton
Sansom, M. S. P. *See* Adcock, Smith, and Sansom
——— *See* Smith and Sansom
Santos, N. C., Ter-Ovanesyan, E., Zasadzinski, J. A., and Castanho, M. A. R. B. Reconstitution of phospholipid bilayer by an atomic force microscope tip, 2119
———, ———, ———, **Prieto, M., and Castanho, M. A. R. B.** Filipin-induced lesions in planar phospholipid bilayers imaged by atomic force microscopy, 1869
Saparov, S. M. *See* Pohl, Saparov, and Antonenko
——— *See* Pohl, Saparov, Pohl, Evtodienko, Agapov, and Tonevitsky
Sasabe, H. *See* Ogawa, Stokes, Sasabe, and Toyoshima
Sasaki, J. and Spudich, J. L. The transducer protein HtrII modulates the lifetimes of sensory rhodopsin II photointermediates, 2435
Sass, H. J., Gessenich, R., Koch, M. H. J., Oesterhelt, D., Dencher, N. A., Büldt, G., and Rapp, G. Evidence for charge-controlled conformational changes in the photocycle of bacteriorhodopsin, 399
Saxena, V. K. *See* Dadarlat and Saxena
Scarpa, A. *See* Obejero-Paz, Jones, and Scarpa
Schaefer, J. *See* Baugher, Goetz, McDowell, Huang, Wooley, and Schaefer
——— *See* Hirsh, Lazaro, Wright, Boggs, McIntosh, Schaefer, and Blazyk
Scharf, D. *See* Tu, Tarek, Klein, and Scharf
Schemmel, A. *See* Rief, Gautel, Schemmel, and Gaub
Scheraga, H. A. *See* Vila, Ripoll, Villegas, Vorobjev, and Scheraga
Schindler, H. *See* Willemsen, Snel, van der Werf, de Grooth, Greve, Hinterdorfer, Gruber, Schindler, van Kooyk, and Figdor
Schmidt, E. J. *See* Tallent, Stuart, Song, Schmidt, Martin, and Birge
Schmies, G. *See* Chizhov, Schmies, Seidel, Sydor, Lüttenberg, and Engelhard
Schneider, B. *See* Woda, Schneider, Patel, Mistry, and Berman
———, **Patel, K., and Berman, H. M.** Hydration of the phosphate group in double-helical DNA, 2422
Schnetter, C. *See* Kirsch, Subramaniam, Striker, Schnetter, Arndt-Jovin, and Jovin
Schödel, R., Irrgang, K.-D., Voigt, J., and Renger, G. Rate of carotenoid triplet formation in solubilized light-harvesting complex II (LHCII) from spinach, 3143
Scholtz, J. M. *See* Pace and Scholtz
Schrader, M., Bahlmann, K., Giese, G., and Hell, S. W. 4Pi-confocal imaging in fixed biological specimens, 1659
Schuck, P. Sedimentation analysis of noninteracting and self-associating solutes using numerical solutions to the Lamm equation, 1503
Schulteis, C. T. *See* Tang, Schulteis, Jiménez, and Papazian
Schulten, K. *See* Hu and Schulten
——— *See* Humphrey, Lu, Logunov, Werner, and Schulten
——— *See* Lu, Isralewitz, Krammer, Vogel, and Schulten
——— *See* Wriggers and Schulten
Schultz, C. P. *See* Lasch, Schultz, and Naumann
Schwartz, D. C. *See* Wang, Lin, and Schwartz
Schwartz, R., Shor, P. W., Prevelige, P. E., Jr., and Berger, B. Local rules simulation of the kinetics of virus capsid self-assembly, 2626
Seidel, R. *See* Chizhov, Schmies, Seidel, Sydor, Lüttenberg, and Engelhard
Seifert, U. Modeling nonlinear red cell elasticity, 1141
Seitz, M. *See* Majewski, Wong, Park, Seitz, Israelachvili, and Smith
Selden, L. A. *See* Kinosian, Newman, Lincoln, Selden, Gershman, and Estes
———, **Kinosian, H. J., Newman, J., Lincoln, B., Hurwitz, C., Gershman, L. C., and Estes, J. E.** Severing of F-actin by the amino-terminal half of gelsolin suggests internal cooperativity in gelsolin, 3092
Selvaraj, P. *See* Chesla, Selvaraj, and Zhu
Selz, K. A., Mandell, A. J., and Shlesinger, M. F. Hydrophobic free energy eigenfunctions of pore, channel, and transporter proteins contain β-burst patterns, 2332
Sepulcre, F. *See* Pardo, Sepulcre, Cladera, Duñach, Labarta, Tejada, and Padrós
Shafer, R. H. *See* Strahan, Keniry, and Shafer
Shao, Z. *See* Ho, Yuan, and Shao
Sharma, V. *See* Troiano, Tung, Sharma, and Stebe
Sharp, K. *See* Gallagher and Sharp
Sheu, Y.-C. *See* Lo, Hsu, Sheu, Chiang, Wu, Fann, and Tsao
Sheves, M. *See* Rousso, Gat, Lewis, Sheves, and Ottolenghi
Shibata, Y., Kurita, A., and Kushida, T. Real-time observation of conformational fluctuations in Zn-substituted myoglobin by time-resolved transient hole-burning spectroscopy, 521

Shieh, R.-C., Chang, J.-C., and Arreola, J. Interaction of Ba^{2+} with the pores of the cloned inward rectifier K^+ channels Kir2.1 expressed in *Xenopus* oocytes, 2313
Shiro, Y. *See* Sugimoto, Unno, Shiro, Dou, and Ikeda-Saito
Shiyanovskaya, I. V. *See* Prosser, Volkov, and Shiyanovskaya
Shlesinger, M. F. *See* Selz, Mandell, and Shlesinger
Shor, P. W. *See* Schwartz, Shor, Prevelige, and Berger
Shuai, J., Kashimori, Y., and Kambara, T. Electroreceptor model of weakly electric fish *Gnathonemus petersii*: I. The model and the origin of differences between A- and B-receptors, 1712
Sieck, T. *See* Svergun, Aldag, Sieck, Altendorf, Koch, Kane, Kozin, and Grüber
Siegman, M. J. *See* Butler, Mooers, Li, Narayan, and Siegman
Sikorski, A., Kolinski, A., and Skolnick, J. Computer simulations of de novo designed helical proteins, 92
Silva, J. L. *See* Ferreira, Silva, Foguel, and Coelho-Sampaio
Silverman, S. K., Lester, H. A., and Dougherty, D. A. Asymmetrical contributions of subunit pore regions to ion selectivity in an inward rectifier K^+ channel, 1330
Silvius, J. R. *See* Rex, Zuckermann, Lafleur, and Silvius
Sine, S. M. *See* Prince and Sine
Sirois, J. *See* Chahine, Sirois, Marcotte, Chen, and Kallen
Skolnick, J. *See* Sikorski, Kolinski, and Skolnick
Slack, N. L. *See* Warriner, Keller, Idziak, Slack, Davidson, Zasadzinski, and Safinya
Slakey, L. L. *See* Mahoney, Slakey, Benham, and Gross
Slater, G. W. *See* Desruisseaux, Slater, and Kist
Smart, J. L. and McCammon, J. A. Analysis of synaptic transmission in the neuromuscular junction using a continuum finite element model, 1679
Smith, D. A. Direct tests of muscle cross-bridge theories: predictions of a Brownian dumbbell model for position-dependent cross-bridge lifetimes and step sizes with an optically trapped actin filament, 2996
Smith, G. D. *See* Keizer, Smith, Ponce-Dawson, and Pearson
———, **Keizer, J. E., Stern, M. D., Lederer, W. J., and Cheng, H.** A simple numerical model of calcium spark formation and detection in cardiac myocytes, 15
Smith, G. R. and Sansom, M. S. P. Dynamic properties of Na^+ ions in models of ion channels: a molecular dynamics study, 2767
——— *See* Adcock, Smith, and Sansom
Smith, G. S. *See* Kuhl, Majewski, Wong, Steinberg, Leckband, Israelachvili, and Smith
——— *See* Majewski, Wong, Park, Seitz, Israelachvili, and Smith
Smith, J. C. *See* Daniel, Smith, Ferrand, Héry, Dunn, and Finney
Snel, M. M. E. *See* Willemsen, Snel, van der Werf, de Grooth, Greve, Hinterdorfer, Gruber, Schindler, van Kooyk, and Figdor
Sneyd, J. *See* Leybaert, Sneyd, and Sanderson
Snow, S. D. *See* Brown, Snow, and Haley
Snyders, D. J. *See* Rich and Snyders
Soldatov, A. V. *See* Longa, Pin, Cortès, Soldatov, and Alpert
Somlyo, A. P. *See* He, Ferenczi, Brune, Trentham, Webb, Somlyo, and Somlyo
——— *See* Khromov, Somlyo, and Somlyo
Somlyo, A. V. *See* He, Ferenczi, Brune, Trentham, Webb, Somlyo, and Somlyo
——— *See* Khromov, Somlyo, and Somlyo
Somogyi, B. *See* Hild, Nyitrai, Belágyi, and Somogyi
Song, Q. W. *See* Tallent, Stuart, Song, Schmidt, Martin, and Birge
Soulages, J. L. Chemical denaturation: potential impact of undetected intermediates in the free energy of unfolding and *m*-values obtained from a two-state assumption, 484
Sparrow, J. C. *See* Veigel, Bartoo, White, Sparrow, and Molloy
Spooner, P. J. R., O'Reilly, W. J., Homans, S. W., Rutherford, N. G., Henderson, P. J. F., and Watts, A. Weak substrate binding to transport proteins studied by NMR, 2794
Spudich, J. L. *See* Sasaki and Spudich
Srinivas, S. P., Bonanno, J. A., and Hughes, B. A. Assessment of swelling-activated Cl^- channels using the halide-sensitive fluorescent indicator 6-methoxy-*N*-(3-sulfopropyl)quinolinium, 115
Srivastava, S. *See* Patel, Srivastava, Phadke, and Govil
Stanton, B. A. *See* Berdiev, Karlson, Jovov, Ripoll, Morris, Loffing-Cueni, Halpin, Stanton, Kleyman, and Ismailov
Stayton, P. S. *See* Tan, Sandmaier, and Stayton
Stebe, K. J. *See* Troiano, Tung, Sharma, and Stebe
Steinberg, S. *See* Kuhl, Majewski, Wong, Steinberg, Leckband, Israelachvili, and Smith
Steinbis, M. *See* Böhle, Steinbis, Biskup, Koopmann, and Benndorf
Stern, M. D. *See* Smith, Keizer, Stern, Lederer, and Cheng
Stidham, H. D. *See* Riou, Hsu, and Stidham
Stienen, G. J. M. *See* He, Stienen, Barends, and Ferenczi
Stigter, D. and Bustamante, C. Theory for the hydrodynamic and electrophoretic stretch of tethered B-DNA, 1197
Stokes, D. L. *See* Lacapère, Stokes, Olofsson, and Rigaud
——— *See* Ogawa, Stokes, Sasabe, and Toyoshima
Stokkum, I. H. M. *See* Gradinaru, Özdemir, Gülen, Stokkum, Grondelle, and Amerongen
Strahan, G. D., Keniry, M. A., and Shafer, R. H. NMR structure refinement and dynamics of the K^+-$[d(G_3T_4G_3)]_2$ quadruplex via particle mesh Ewald molecular dynamics simulations, 968
Striker, G. *See* Kirsch, Subramaniam, Striker, Schnetter, Arndt-Jovin, and Jovin
Stroppolo, A. *See* Kropf, Bunker, Eisner, Moss, Zecca, Stroppolo, and Crippa
Strube, C., Beurg, M., Sukhareva, M., Ahern, C. A., Powell, J. A., Powers, P. A., Gregg, R. G., and Coronado, R. Molecular origin of the L-type Ca^{2+} current of skeletal muscle myotubes selectively deficient in dihydropyridine receptor β_{1a} subunit, 207
Struk, A., Lehmann-Horn, F., and Melzer, W. Voltage-dependent calcium release in human malignant hyperthermia muscle fibers, 2402
Stuart, J. A. *See* Tallent, Stuart, Song, Schmidt, Martin, and Birge
Stuhrmann, H. B. *See* Behrens, Otto, Stuhrmann, and Heyn
Subramaniam, V. *See* Kirsch, Subramaniam, Striker, Schnetter, Arndt-Jovin, and Jovin
Sugimoto, T., Unno, M., Shiro, Y., Dou, Y., and Ikeda-Saito, M. Myoglobin mutants giving the largest geminate yield in CO rebinding in nanosecond time domain, 2188
Sugita, Y. and Kitao, A. Dependence of protein stability on the structure of the denatured state: free energy calculations of I56V mutation in human lysozyme, 2178
Sugiyama, H. *See* Yang, Sugiyama, Ikeda, Saito, and Wang
Sukhareva, M. *See* Strube, Beurg, Sukhareva, Ahern, Powell, Powers, Gregg, and Coronado
Suzuki, I. U. A. Is there a specific receptor for anesthetics? Contrary effects of alcohols and fatty acids on phase transition and bioluminescence of firefly luciferase, 1052
Svergun, D. I., Aldag, I., Sieck, T., Altendorf, K., Koch, M. H. J., Kane, D. J., Kozin, M. B., and Grüber, G. A model of the quaternary structure of the *Escherichia coli* F_1 ATPase from x-ray solution scattering and evidence for structural changes in the delta subunit during ATP hydrolysis, 2212
Swift, D. G., Posner, R. G., and Hammer, D. A. Kinetics of adhesion of IgE-sensitized rat basophilic leukemia cells to surface-immobilized antigen in Couette flow, 2597
Sydor, J. R. *See* Chizhov, Schmies, Seidel, Sydor, Lüttenberg, and Engelhard
Szentesi, P. *See* Csernoch, Bernengo, Szentesi, and Jacquemond
Szép, S. *See* Pasternack, Goldsmith, Szép, and Gibbs

T

Tabas, I. *See* Mukherjee, Zha, Tabas, and Maxfield
Taler, G., Navon, G., and Becker, O. M. The interaction of borate ions with cytochrome *c* surface sites: a molecular dynamics study, 2461
Tallent, J. R., Stuart, J. A., Song, Q. W., Schmidt, E. J., Martin, C. H., and Birge, R. R. Photochemistry in dried polymer films incorporating the deionized blue membrane form of bacteriorhodopsin, 1619
Talwar, D. *See* Bernatchez, Talwar, and Parent
Tan, P. H., Sandmaier, B. M., and Stayton, P. S. Contributions of a highly conserved V_H/V_L hydrogen bonding interaction to scFv folding stability and refolding efficiency, 1473
Tanaka, H., Ishijima, A., Honda, M., Saito, K., and Yanagida, T. Orientation dependence of displacements by a single one-headed myosin relative to the actin filament, 1886
Tandon, P. and Diamond, S. L. Kinetics of β_2-integrin and L-selectin bonding during neutrophil aggregation in shear flow, 3163
Tang, C.-Y., Schulteis, C. T., Jiménez, R. M., and Papazian, D. M. *Shaker* and ether-à-go-go K^+ channel subunits fail to coassemble in *Xenopus* oocytes, 1263
Tanner, J. W. *See* Eckenhoff and Tanner
Tao, Y.-C. and Peskin, C. S. Simulating the role of microtubules in depolymerization-driven transport: a Monte Carlo approach, 1529
Tardy, Y. *See* McGrath, Tardy, Dewey, Meister, and Hartwig
Tarek, M. *See* Tu, Tarek, Klein, and Scharf
Taron, C. H. *See* Urbina, Moreno, Arnold, Taron, Orlean, and Oldfield
Taylor, R. W. *See* Wang, Taylor, and Pfeiffer
Teeter, J. H. *See* Kumazawa, Brand, and Teeter
Teissié, J. *See* Eynard, Rodriguez, Trotard, and Teissié
——— *See* Rols and Teissié
Teixeira, J. *See* Gordeliy, Kiselev, Lesieur, Pole, and Teixeira
Tejada, J. *See* Pardo, Sepulcre, Cladera, Duñach, Labarta, Tejada, and Padrós
Tenchov, B., Koynova, R., and Rapp, G. Accelerated formation of cubic phases in phosphatidylethanolamine dispersions, 853
Ter-Ovanesyan, E. *See* Santos, Ter-Ovanesyan, Zasadzinski, and Castanho
——— *See* Santos, Ter-Ovanesyan, Zasadzinski, Prieto, and Castanho
Thulin, C. D. *See* Busath, Thulin, Hendershot, Phillips, Maughan, Cole, Bingham, Morrison, Baird, Hendershot, Cotten, and Cross
Timkovich, R., Bergmann, D., Arciero, D. M., and Hooper, A. B. Primary sequence and solution conformation of ferrocytochrome *c*-552 from *Nitrosomonas europaea*, 1964
Tlapak-Simmons, V. L. and Reinhart, G. D. Obfuscation of allosteric structure–function relationships by enthalpy–entropy compensation, 1010
Tobias, D. J. *See* Tu, Klein, and Tobias
Tollin, G. *See* Salamon, Huang, Cramer, and Tollin
——— *See* Ujj, Devanathan, Meyer, Cusanovich, Tollin, and Atkinson
Toner, M. *See* Busch, Yarmush, and Toner
Tonevitsky, A. G. *See* Pohl, Saparov, Pohl, Evtodienko, Agapov, and Tonevitsky
Toyoshima, C. *See* Ogawa, Stokes, Sasabe, and Toyoshima
Trentham, D. R. *See* He, Ferenczi, Brune, Trentham, Webb, Somlyo, and Somlyo
Tristram-Nagle, S., Petrache, H. I., and Nagle, J. F. Structure and interactions of fully hydrated dioleoylphosphatidylcholine bilayers, 917
Troiano, G. C., Tung, L., Sharma, V., and Stebe, K. J. The reduction in electroporation voltages by the addition of a surfactant to planar lipid bilayers, 880
Trotard, J. *See* Eynard, Rodriguez, Trotard, and Teissié
Tsao, P.-H. *See* Lo, Hsu, Sheu, Chiang, Wu, Fann, and Tsao
Tsvetkova, N. M., Phillips, B. L., Crowe, L. M., Crowe, J. H., and Risbud, S. H. Effect of sugars on headgroup mobility in freeze-dried dipalmitoylphosphatidylcholine bilayers: solid-state ^{31}P NMR and FTIR studies, 2947
Tóth, K. *See* Hammermann, Brun, Klenin, May, Tóth, and Langowski
Tu, K., Klein, M. L., and Tobias, D. J. Constant-pressure molecular dynamics investigation of cholesterol effects in a dipalmitoylphosphatidylcholine bilayer, 2147
———, **Tarek, M., Klein, M. L., and Scharf, D.** Effects of anesthetics on the structure of a phospholipid bilayer: molecular dynamics investigation of halothane in the hydrated liquid crystal phase of dipalmitoylphosphatidylcholine, 2123
Tung, L. *See* Troiano, Tung, Sharma, and Stebe
Tyystjärvi, E. *See* Vavilin, Tyystjärvi, and Aro

U

Uitdehaag, J. C. M. *See* Sabra, Uitdehaag, and Watts
Uitto, O. D. *See* Armen, Uitto, and Feller
Ujj, L., Devanathan, S., Meyer, T. E., Cusanovich, M. A., Tollin, G., and Atkinson, G. H. New photocycle intermediates in the photoactive yellow protein from *Ectothiorhodospira halophila*: picosecond transient absorption spectroscopy, 406
Unno, M. *See* Sugimoto, Unno, Shiro, Dou, and Ikeda-Saito
Urbina, J. A., Moreno, B., Arnold, W., Taron, C. H., Orlean, P., and Oldfield, E. A carbon-13 nuclear magnetic resonance spectroscopic study of inter-proton pair order parameters: a new approach to study order and dynamics in phospholipid membrane systems, 1372

V

Vaknin, D. *See* Gallant, Desbat, Vaknin, and Salesse
Valente-Mesquita, V. L., Botelho, M. M., and Ferreira, S. T. Pressure-induced subunit dissociation and unfolding of dimeric β-lactoglobulin, 471
van Amerongen, H. *See* Peterman, Wenk, Pullerits, Pålsson, Grondelle, Dekker, Rögner, and van Amerongen
van der Werf, K. O. *See* Willemsen, Snel, van der Werf, de Grooth, Greve, Hinterdorfer, Gruber, Schindler, van Kooyk, and Figdor
Van Eijk, M. *See* Putz, Walch, Van Eijk, and Haagsman
van Hoek, A. *See* Kroes, Canters, Gilardi, van Hoek, and Visser
van Kooyk, Y. *See* Willemsen, Snel, van der Werf, de Grooth, Greve, Hinterdorfer, Gruber, Schindler, van Kooyk, and Figdor
Vanderheeren, G., Hanssens, I., Noyelle, K., Dael, H. V., and Joniau, M. The perturbations of the native state of goat α-lactalbumin induced by 1,1'-bis(4-anilino-5-naphthalenesulfonate) are Ca^{2+}-dependent, 2195
Vanderkooi, J. M. *See* Angiolillo and Vanderkooi
Váró, G. *See* Ludmann, Gergely, Dér, and Váró
——— *See* Ludmann, Gergely, and Váró
Vaughan, T. E. *See* Weaver, Vaughan, Adair, and Astumian
Vavilin, D. V., Tyystjärvi, E., and Aro, E.-M. Model for the fluorescence induction curve of photoinhibited thylakoids, 503
Veigel, C., Bartoo, M., White, D. C. S., Sparrow, J. C., and Molloy, J. E. The stiffness of rabbit skeletal actomyosin cross-bridges determined with an optical tweezers transducer, 1424
Velev, O. D., Kaler, E. W., and Lenhoff, A. M. Protein interactions in solution characterized by light and neutron scattering: comparison of lysozyme and chymotrypsinogen, 2682
Vergara, J. L. *See* Kim and Vergara
Verkman, A. S. *See* Periasamy and Verkman

Veytsman, B. A. and Cosgrove, D. J. A model of cell wall expansion based on thermodynamics of polymer networks, 2240
Vidugiris, G. J. A. and Royer, C. A. Determination of the volume changes for pressure-induced transitions of apomyoglobin between the native, molten globule, and unfolded states, 463
Vié, V. *See* Le Grimellec, Lesniewska, Giocondi, Finot, Vié, and Goudonnet
Vila, J. A., Ripoll, D. R., Villegas, M. E., Vorobjev, Y. N., and Scheraga, H. A. Role of hydrophobicity and solvent-mediated charge-charge interactions in stabilizing α-helices, 2637
Villaverde, J., Cladera, J., Hartog, A., Berden, J., Padrós, E., and Duñach, M. Nucleotide and Mg^{2+} dependency of the thermal denaturation of mitochondrial F_1-ATPase, 1980
Villegas, M. E. *See* Vila, Ripoll, Villegas, Vorobjev, and Scheraga
Visser, A. J. W. G. *See* Kroes, Canters, Gilardi, van Hoek, and Visser
Vodyanoy, I. *See* Rostovtseva, Aguilella, Vodyanoy, Bezrukov, and Parsegian
Vogel, V. *See* Lu, Isralewitz, Krammer, Vogel, and Schulten
Voigt, J. *See* Schödel, Irrgang, Voigt, and Renger
Volkov, V. B. *See* Prosser, Volkov, and Shiyanovskaya
Vorobjev, Y. N. *See* Vila, Ripoll, Villegas, Vorobjev, and Scheraga

W

Wachner, D. *See* Gimsa and Wachner
Wade, W. F. *See* Munnelly, Roess, Wade, and Barisas
Wagner, J., Li, Y.-X., Pearson, J., and Keizer, J. Simulation of the fertilization Ca^{2+} wave in *Xenopus laevis* eggs, 2088
Walch, M. *See* Putz, Walch, Van Eijk, and Haagsman
Wallace, B. A. *See* Doyle and Wallace
Wallimann, T. *See* Forstner, Kriechbaum, Laggner, and Wallimann
Wang, A. H.-J. *See* Yang, Sugiyama, Ikeda, Saito, and Wang
Wang, E., Taylor, R. W., and Pfeiffer, D. R. Mechanism and specificity of lanthanide series cation transport by ionophores A23187, 4-BrA23187, and ionomycin, 1244
Wang, Q., Wong, C. F., and Rabitz, H. Simulating energy flow in biomolecules: application to tuna cytochrome *c*, 60
Wang, W., Lin, J., and Schwartz, D. C. Scanning force microscopy of DNA molecules elongated by convective fluid flow in an evaporating droplet, 513
Ward, M. D. *See* Yip, DeFelippis, Frank, Brader, and Ward
Warriner, H. E., Keller, S. L., Idziak, S. H. J., Slack, N. L., Davidson, P., Zasadzinski, J. A., and Safinya, C. R. The influence of polymer molecule weight in lamellar gels based on PEG-lipids, 272
Waterman-Storer, C. M. and Salmon, E. D. How microtubules get fluorescent speckles, 2059
Watts, A. *See* Sabra, Uitdehaag, and Watts
——— *See* Spooner, O'Reilly, Homans, Rutherford, Henderson, and Watts
Weaver, J. C., Vaughan, T. E., Adair, R. K., and Astumian, R. D. Theoretical limits on the threshold for the response of long cells to weak extremely low frequency electric fields due to ionic and molecular flux rectification, 2251
Webb, M. R. *See* He, Ferenczi, Brune, Trentham, Webb, Somlyo, and Somlyo
Webb, W. W. *See* Brust-Mascher and Webb
Weik, M. *See* Lehnert, Réat, Weik, Zaccaï, and Pfister
Weinstein, H. *See* Konvicka, Guarnieri, Ballesteros, and Weinstein
——— *See* Pardo, Pastor, and Weinstein
Weisel, J. W. *See* Di Stasio, Nagaswami, Weisel, and Di Cera
Weiss, T. M. *See* Yang, Harroun, Heller, Weiss, and Huang
Wenk, S.-O. *See* Peterman, Wenk, Pullerits, Pålsson, Grondelle, Dekker, Rögner, and van Amerongen
Werner, H.-J. *See* Humphrey, Lu, Logunov, Werner, and Schulten
Wheatley, D. N. *See* Bogner, Csutora, Cameron, Wheatley, and Miseta
White, D. C. S. *See* Veigel, Bartoo, White, Sparrow, and Molloy
White, J. G. *See* Centonze and White
Wier, W. G. *See* Izu, Wier, and Balke
Willemsen, O. H., Snel, M. M. E., van der Werf, K. O., de Grooth, B. G., Greve, J., Hinterdorfer, P., Gruber, H. J., Schindler, H., van Kooyk, Y., and Figdor, C. G. Simultaneous height and adhesion imaging of antibody-antigen interactions by atomic force microscopy, 2220
Williams, D. A. *See* Bowser, Minamikawa, Nagley, and Williams
Williams, J. C., Jr., Mark, L. A., and Eichholtz, S. Partition and permeation of dextran in polyacrylamide gel, 493
Woda, J., Schneider, B., Patel, K., Mistry, K., and Berman, H. M. An analysis of the relationship between hydration and protein-DNA interactions, 2170
Wolf, B. *See* Bialik, Wolf, Rachofsky, Ross, and Laws
Wollnik, B. *See* Pusch, Magrassi, Wollnik, and Conti
Wong, C. F. *See* Wang, Wong, and Rabitz
Wong, F. M. P. *See* Harvie, Wong, and Bally
Wong, J. Y. *See* Kuhl, Majewski, Wong, Steinberg, Leckband, Israelachvili, and Smith
——— *See* Majewski, Wong, Park, Seitz, Israelachvili, and Smith
Wooley, K. L. *See* Baugher, Goetz, McDowell, Huang, Wooley, and Schaefer
Wriggers, W. and Schulten, K. Nucleotide-dependent movements of the kinesin motor domain predicted by simulated annealing, 646
Wright, L. R. *See* Hirsh, Lazaro, Wright, Boggs, McIntosh, Schaefer, and Blazyk
Wu, W.-g. *See* Lo, Hsu, Sheu, Chiang, Wu, Fann, and Tsao

X

Xiang, T.-X. and Anderson, B. D. Influence of chain ordering on the selectivity of dipalmitoylphosphatidylcholine bilayer membranes to permeant size and shape, 2658
Xu, L. and Meissner, G. Regulation of cardiac muscle Ca^{2+} release channel by sarcoplasmic reticulum lumenal Ca^{2+}, 2302

Y

Yamashita, I. *See* Oda, Makino, Yamashita, Namba, and Maéda
Yanagida, T. *See* Tanaka, Ishijima, Honda, Saito, and Yanagida
Yang, A.-S. *See* Misra, Hecht, Yang, and Honig
Yang, L., Harroun, T. A., Heller, W. T., Weiss, T. M., and Huang, H. W. Neutron off-plane scattering of aligned membranes. I. Method of measurement, 641
Yang, X.-L., Sugiyama, H., Ikeda, S., Saito, I., and Wang, A. H.-J. Structural studies of a stable parallel-stranded DNA duplex incorporating isoguanine:cytosine and isocytosine:guanine basepairs by nuclear magnetic resonance spectroscopy, 1163
Yarmush, M. L. *See* Busch, Yarmush, and Toner
Yi, C. and Gratzl, M. Continuous in situ electrochemical monitoring of doxorubicin efflux from sensitive and drug-resistant cancer cells, 2255
Yip, C. M., DeFelippis, M. R., Frank, B. H., Brader, M. L., and Ward, M. D. Structural and morphological characterization of ultralente insulin crystals by atomic force microscopy: evidence of hydrophobically driven assembly, 1172
Yuan, J.-Y. *See* Ho, Yuan, and Shao

Z

Zaccaï, G. *See* Lehnert, Réat, Weik, Zaccaï, and Pfister

Zamai, M., Caiolfa, V. R., Pines, D., Pines, E., and Parola, A. H. Nature of interaction between basic fibroblast growth factor and the antiangiogenic drug 7,7-(carbonyl-bis[imino-*N*-methyl-4,2-pyrrolecarbonylimino[*N*-methyl-4,2-pyrrole]-carbonylimino])-bis-(1,3-naphthalene disulfonate), 672

Zasadzinski, J. A. *See* Santos, Ter-Ovanesyan, Zasadzinski, and Castanho

——— *See* Santos, Ter-Ovanesyan, Zasadzinski, Prieto, and Castanho

——— *See* Warriner, Keller, Idziak, Slack, Davidson, Zasadzinski, and Safinya

Zecca, L. *See* Kropf, Bunker, Eisner, Moss, Zecca, Stroppolo, and Crippa

Zha, X. *See* Mukherjee, Zha, Tabas, and Maxfield

Zhelev, D. V. Material property characteristics for lipid bilayers containing lysolipid, 321

Zhu, C. *See* Chesla, Selvaraj, and Zhu

Zielenkiewicz, P. *See* Gavryushov and Zielenkiewicz

Ziemann, F. *See* Bausch, Ziemann, Boulbitch, Jacobson, and Sackmann

Zizi, M., Byrd, C., Boxus, R., and Colombini, M. The voltage-gating process of the voltage-dependent anion channel is sensitive to ion flow, 704

Zuckermann, M. J. *See* Rex, Zuckermann, Lafleur, and Silvius

SUBJECT INDEX

A

A23187
lanthanide series cation transport by, 1244
mediation of monovalent metal ion transport across phospholipid vesicular membranes by, 1749
Acetylcholine receptor channel, contribution of δ subunit to activation, 218
Acetylcholine receptors
electrostatics and selectivity of, 1211
muscle, selective activation by epibatidine, 1817
Acholeplasma laidlawii, total lipids form nonlamellar phases, 2877
AChR. *see* Acetylcholine receptor
Acrylodan, HSA labeled with, unfolding studied using fluorescence methods, 1084
F-Actin
calcium regulation of gelsolin activity, 3101
effect on filament orientation in liquid crystallin sols, 2672
severing of, by gelsolin amino terminal half, 3092
Actin, cooperativity between meromyosin heads in binding to, 926
Actin filaments
influence of divalent cations on dynamic properties of, 3015
optically trapped, tests of muscle cross-bridge theories, 2996
orientation-dependent displacement of single one-headed myosin relative to, 1886
SPOC without regulatory proteins in, 1439
turnover fraction and monomer diffusion in ECs, 2070
Action potential duration, spiral waves in two-dimensional models of ventricular muscle, 1
Actomyosin, cross-bridges stiffness determined by optical tweezers, 1424
Adenosine 5′-triphosphate, phosphate release after photoliberation, skeletal muscle fibers, 2389
Adenosine triphosphatase, structural effects of calcium binding to, 41
Adhesion
cell surfaces, viscoelastic parameters of, magnetic bead microrheometry, 2038
differential, and chemotaxis in mound formation, *Dictyostelium,* 2615
energy of, human T cells to adsorption layers of MAb, 545
fluid stresses on cells adhering to microchannels, 721
kinetics under Couette flow, igE-sensitized rat basophilic leukemia cells, 2597
Adrenal glands, chromaffin cells, electrostatic field strength at exocytosis site, 1237
Adsorption, kinetics of, lipid vesicles surface specific, measured with QCM, 1397
AE1, human erythrocyte, oligomeric state of, 1117
Aggrecans, macromolecular diffusion measured by conofocal FRAP, 1032
Aggregation
peroxidized lipids, and plasma membrane stability during photolysis, theoretical formalism for, 2956
in shear flow, kinetics of α_2 integrin and L-selectin bonding, neutrophils, 3163
Alamethicin-induced pores, neutron off-plane scattering of aligned membranes, 641
Albumin
serum, effects of halothane binding on, 477
unfolding of acrylodan-labeled HSA studied using fluorescence methods, 1084
Alcohols, effects on phase transition and luminescence of firefly luciferase, 1052
AMBER force field, DNA structural equilibrium and, 134
Amino acid-activated channel, in taste system of channel catfish, 2757
Amino terminals, gelsolin, F-actin severing by, 3092
Amphiphilic nanoparticles, fluorotryptophan sequestered in, location by REDOR NMR, 2574
Anesthetics
bromoform, firefly luciferase inhibition by, 2205
effects on phospholipid bilayer structure, 2123
halothane binding to serum albumin and myoglobin, 477
question of specific receptor for, 1052
Angiogenesis, and bFGF interaction with PNU145156E, 672
Anion channels, voltage-dependent, sensitivity of gating to ion flow, 704
Anions, competition for a volume-regulated current, 226
Annealing, simulated, prediction of nucleotide-dependent kinesin motor domain movements by, 646
Anthrocyclins, in lipid monolayers and planar asymmetrical bilayers, SERRS, 2368
Antibodies, height and adhesion imaging of interactions with antigens, AFM, 2220
Antibody fragments, single-chain, V_H/V_L interactions, folding stability and refolding efficiency of, 1473
Antigens, height and adhesion imaging of interactions with antibodies, AFM, 2220
Antithrombin, hydration structure of conformers and water transfer during reactive loop insertion, 573
Apomyoglobin, volume changes for pressure-induced transitions between states, 463
Arginine, activation of glycolysis of goat epididymal spermatozoa by, 1522
Array formation, 2-D, lipid-mediated, model for membrane proteins, 1180
Arrhythmia, spiral waves in two-dimensional models of ventricular muscle, 1
Arteries, rat cerebral resistance size, calcium removal mechanisms in, 1767
Aspartate, competition for a volume-regulated anion conductance, 226
Association rate constants, extending the range available from BIACORE determinations, 583
Atomic force microscopy
DNA complexes with *trp* repressor visualized by, 2712
height and adhesion imaging of antibody-antigen interactions by, 2220
of hyaluronan, 2030
hydration force in, computational study of, 1076
imaging of filipin-induced lesions, planar phospholipid bilayers, 1869
low-force contact-mode, imaging living cells by, 695
stability of Ig and fibronectin III domains in titin, 3008
tapping-mode, insulin ultralente crystals characterized by, 1172
tip, phospholipid bilayer reconstitution by, 2119
F_1-ATPase
E. coli, quaternary structure of, X-ray scattering, 2212
mitochondrial, nucleotide and magnesium ion dependency of thermal denaturation of, 1980
Autocorrelation function, power spectrum of random processes in neurite guidance and, 1189
Autofluorescence, FCM in presence of, 2547
Azurin, time-resolved fluorescence study of variants of, 2441

B

Bacteriophage T7, hexagonally packed DNA stabilized by curvature stress, 1223

Bacteriorhodopsin
charge-controlled conformational changes in photocycle of, 399
connectivity of retinal Schiff base during photocycle of, 1455
deionized, incorporated in dried polymer films, photochemistry, 1619
electric signals during photocycle of, over pH range, 3120
L-to-M transition of photocycle of, 1446
model for lipid-mediated 2-D array formation of, 1180
nonisomerizable pigments, light-induced hydroxylamine reactions in, 413
proton release and B2 photocurrent of, 382
sulfur distribution in, 255
thermal motions at different hydration levels, studied by neutron scattering, 1945
thermodynamic study of photocycle over pH range, 3110
three state model of primary phototransformation of, 1689
Band 3, human erythrocyte, oligomeric state of, 1117
Barium
current inactivation of cardiac α_{1C}-channels, impaired by EF-hand motif mutations, 1727
interaction with Kir2.1 channel pores, *Xenopus* oocytes, 2313
BD simulations. *see* Brownian dynamics simulations
bFGF. *see* Fibroblast growth factor, basic
BIACORE, extending the range of association rate constants available from, 583
Bilayers
DPPC, chain ordering and selectivity for permeant size and shape, 2658
freeze dried DPPC, effect of sugars on head group mobility in, 2947
interdigitated, monofluorinated phosphatidylcholine forms, 1858
Binding free energy, lambda cI repressor to DNA, electrostatic contributions to, 2262
Biological specimens, fixed, four-Pi confocal imaging of, 1659
Biomolecules
dynamics studied by fluorescence anisotropy decay, 2564
simulating energy flow in, and tuna cytochrome *c*, 60
Bis-ANS. *see* 1,1′-Bis(4-anilino-5-naphthalenesulfonate)
Borate ions, interactions with cytochrome *c* surface sites, MD simulation study, 2461
B2 photocurrent, of bR, proton release and, 382
bR. *see* Bacteriorhodopsin
4-BrA23187, lanthanide series cation transport by, 1244
Bromoform, inhibition of firefly luciferase by, 2205
Brownian dynamics simulations
of interaction between cytochrome *f* and plastocyanin, 2698
ionic currents across model membrane channel using, 793
Bubbles, captive, spreading technique for formation of films in, 2229
Bursting, neuronal, evidence for novel mechanism, 174
β-Burst patterns, in hydrophobic free energy eigenfunctions, pore, channel and transporter proteins, 2332

C

Calcium
bis-ANS induced perturbations dependent on, goat α-lactalbumin, 2195
cellular, binding in bovine chromaffin cells, 1635
distribution in A and I bands of stretched muscle fibers, 948
in DS and DMPC interactions, ^{2}H NMR, 909
high resolution single-wavelength calcium imaging, 2025
leakage in A7r5 smooth muscle cell line, 1271
lumenal, regulation of ryanodyne receptor channel by, 2801
regulation of cardiac muscle contraction, role of mitochondria in, 2004
regulation of gelsolin activity, 3101
removal mechanisms in rat cerebral resistance size arteries, 1767
saltatory wave propagation by Ca^{2+} sparks, 595
sensitivity of large conductance calcium-activated potassium channels, 1774
SR release, Na-Ca exchange and, ventricular myocytes, 359
transients during contractions in rectococcygeus smooth muscle, 1895
uptake by smooth muscle SR inhibited by chloride channel blockers, 1759
voltage-dependent release in skeletal muscle fibers from human MH, 2402
Calcium ATPase
crystallization by detergent removal, 1319
SR, IR spectra of ATP-induced phosphorylation, 538
Calcium channels
barium current inactivation cardiac α_{1C}-channels, 1727
ion permeation and PNP2, 1142
L-type, ion permeation and glutamate residues linked by PNP2 theory in, 1287
Calcium current, L type, in myotubes and DHPR subunit mutants, 207
Calcium ionophores, lanthanide series cation transport by A23187, 4-BrA23187 and ionomycin, 1244
Calcium pump, SR, view along the lipid bilayer, 41
Calcium release channels, cardiac muscle, regulation by SR lumenal calcium, 2302
Calcium sparks
analysis of amplitude and distribution, confocal microscopy, 1144
model of formation and detection, cardiac myocytes, 15
Calcium waves
fertilization, simulation of, in *Xenopus* eggs, 2088
induced by large voltage pulses in fish keratocytes, 1669
sperm-induced, in *Xenopus* eggs, characterized by confocal microscopy, 2079
Camels, camelids and, augmented erythrocyte water binding and low cellular water content, 3085
Cancer cells, sensitive and drug-resistant, electrochemical monitoring of doxorubicin efflux, 2255
Cantilevers, nanofabricated, measurement of muscle thick filaments elasticity, 938
Capacitance
flickers and pseudoflickers of small granules, cell-attached configuration, 53
membrane, changes and particle uptake during phagocytosis, macrophages, 2577
Captive-bubble surfactometer, spreading technique for film formation in, 2229
Carbon monoxide, rebinding of, myoglobin mutants and geminate yield, 2188
Cardiac muscle, mitochondria in calcium regulation of contraction, 2004
Cardiac tissue, assessment of microscopic activation patterns of, use of fiber optic image conduit in, 1062
Cardiomyopathy, familial hypertrophic, analysis of myosin mutation causing, 3023
Cardiotoxin, cobra, effect of D57N mutation on membrane activity and molecular unfolding, 2382
Carotenoids, triplet formation in spinach LHCII, 3143
Catch muscle, regulation by twitchin phosphorylation, 1904
Catch muscle state, MgADP promotion of, tonic smooth muscle, 1926
Catechol *O*-methyltransferase, UVRR study of drug-protein interactions, 1097
Cation-binding site, high-affinity, of the *Halobacterium salinarium* purple membrane, 777
Cations

divalent, influence on dynamic properties of actin filaments, 3015
lanthanide series, transport by A23187, 4-BrA23187 and ionomycin, 1244
α_{1C}-Channels, cardiac, EF-hand motif mutations impair barium current inactivation, 1727
CD. *see* Circular dichroism
Cell cultures, suspension, diffusion and reaction of NO in, 745
Cell membranes, breakdown by electrical and mechanical stress, 247
Cells
FCM in presence of autofluorescence, 2547
living, imaging by low-force contact-mode AFM, 695
long, threshold limits for response to ELF electric fields, 2251
small, lipid-assisted microinjections into, 2558
Cell surfaces
adherent, viscoelastic parameters of, measured by magnetic bead microrheometry, 2038
interferometric fringe FPR measurements of, 1131
Cell transit analysis, ligand-induced stiffening of leukocytes, 1541
Cell walls, expansion model based on polymer networks thermodynamics, 2240
Chain ordering, and selectivity for permeant size and shape, DPPC bilayers, 2658
Channel catfish, amino acid-activated channels in taste system of, 2757
Channel pores, Kir2.1, barium interaction with, *Xenopus* oocytes, 2313
Channel proteins, hydrophobic free energy eigenfunctions contain β-burst patterns, 2332
Channels
amino acid-activated, in taste system of channel catfish, 2757
membrane, ionic currents across, studied with BD simulations, 793
noncontact dipole effects on permeation, 2830
single, function of rInsP$_3$R-T1 ligand-binding domain variants, 2783
Chaotic potential fluctuation, stochastic resonance induced by, analysis of receptor systems, 1700
Charge-charge interactions, solvent-mediated, hydrophobicity and, in stability of α-helices, 2637
Charge immobilization, through internal cysteine modification, squid sodium channels, 2821
CHARMM force field, DNA structural equilibrium and, 134
Chemotaxis, differential adhesion and, in mound formation, *Dictyostelium*, 2615
Chloride channel blockers, inhibit calcium uptake by smooth muscle SR, 1759
Chloride channels, assessment of swelling, using SPQ fluorescence, 115
Chloride ions, regulates structure of fibrin clots, 1973
Chlorophyll *a*, in Cytb$_6$f of *Synechocystis PCC6803*, 389
Cholestane, ESR study using, mixed membrane models with DMPC and DMPS, 2532
Cholesterol
constant pressure MD simulation of effects in DPPC bilayer, 2147
distribution in living cells, fluorescence imaging using dehydroergosterol, 1915
effect on polyunsaturated phospholipid bilayers, 896
induction of variations in bilayer volume and enthalpy fluctuations, 264
Chromaffin cells
adrenal, electrostatic field strength at exocytosis site, 1237
bovine, cellular calcium binding in, 1635
Chromophores
interactions with protein in myoglobin, probed by photoexcited triplet state, 1491
spectroscopic and thermodynamic study of porphyrin/DNA supramolecular assemblies, 1024
Chymotrypsinogen, lysozyme and, protein interactions in solution, light and neutron scattering, 2682
Circular dichroism, of DNA frayed wires, 982
Clots, fibrin, chloride ion regulates structure of, 1973
CNG channels. *see* Cyclic nucleotide-gated channels
Collagen
equatorial diffraction pattern, and molecular motion, 1058
symmetry laws for interaction between helical macromolecules, 2513
Comamonas acidovorans, Omp32, open channel characteristics of, 1255
Condensation, of DNA, effect of topological defects, 714
Conductance
gramicidin A channel, membrane surface-charge titration of, 1783
Shaker potassium channel, loss in 0 K^+ solution, 1828
Confocal imaging, optical sections in scattering specimens, multiphoton excitation compared with, 2015
Confocal microscopy
analysis of calcium spark amplitude and distribution, 1144
four-Pi imaging, fixed biological specimens, 1659
intracellular fluorescent probe concentrations measured by, 1648
sperm-induced calcium wave in *Xenopus* eggs characterized by, 2079
Connectin. *see* Titin
Connexin46 gap junction, localization of voltage gate in hemichannels, 2323
μ-Conotoxin GIIIA, rSkM1 extrapore residues contributing to binding site, 236
Continuum finite element model, NMJ synaptic transmission analysis using, 1679
Contractions
mitochondria in calcium regulation of cardiac muscle, 2004
rectococcygeus smooth muscle, calcium transients during, 1895
Core conduction element, stoichiometry of, amiloride-sensitive sodium channels, 2292
Cornea, transmissivity of sclera and, lattice model for, 2520
Corneal fibrils, integration of limbal fibrils and, human eye, 2508
Couette flow, adhesion kinetics under, IgE-sensitized rat basophilic leukemia cells, 2597
Counterions, triple-helical poly(dT)-poly(dA)-poly(dT) DNA stability with, 70
Coupled plasmon-wave guide resonance spectroscopy, studies of cytochrome b_6f/plastocyanin system in lipid bilayer membranes, 1874
CPWR. *see* Coupled plasmon-wave guide resonance spectroscopy
Creatine kinase, structural changes upon substrate binding, 1016
Cross-bridges
actin-attached, in prepowerstroke state, phase transition in force during ramp stretches of skeletal muscle, 2971
cycling in portal vein smooth muscle, phosphate release by, 3031
muscles, optically trapped actin filaments, 2996
stiffness determined by optical tweezers, actomyosin, 1424
Crystallin, liquid sols, effect of F-actin on filament orientation in, 2672
Crystallization, calcium ATPase, by detergent removal, 1319
Crystal nucleation, gramicidin D, 2135
Crystal structures
gramicidin D, heterodimer formation and crystal nucleation of, 2135
insulin ultralente crystals characterized by AFM, 1172
Cubic phases, accelerated formation in PE dispersions, 853
Curvature, interactions between membrane proteins mediated by,

2274
Curvature stress, hexagonally packed DNA stabilized by, bacteriophage T7, 1223
Cyclic nucleotide-gated channels, rod, movement of gating machinery during activation, 825
Cyt *c*. *see* Cytochrome *c*
Cytochrome b_6f
and plastocyanin system in lipid bilayer membranes, CPWR studies of, 1874
spectroscopic studies of chlorophyll *a* of, *Synechocystis PCC6803*, 389
Cytochrome *c*
MD simulations study of borate ion interactions with surface sites of, 2461
tuna, simulating energy flow in, 60
Cytochrome c_3, ionic strength-dependent physicochemical factors in, 1483
Cytochrome *c* oxidase
thermodynamic volume cycles for electron transfer and Cyt *c* binding, 435
water channel of, 3127
Cytochrome *f*, BD simulations of interaction between and plastocyanin and, 2698
Cytoskeleton
at large erythrocyte deformation, micropipette aspiration, 1584
large erythrocyte deformations, microscopic models of, 1573
Cytosol, lipid-assisted microinjections into, small cells, 2558

D

Dehydration, model membrane, induced by *Ricinus communis* and *Viscum album* lectins, 2868
Dehydroergosterol, fluorescence imaging of cholesterol distribution in living cells using, 1915
Denaturation
chemical, potential errors in studies of, 484
structure, stability and, human lysozyme, 2178
thermal, of mitochondrial F_1-ATPase, nucleotide and magnesium ion dependency of, 1980
Detergents
mechanism of liposomes solubilization with, 2932
removal of, calcium ATPase crystallization by, 1319
Dextran, partition and permeation of, in polyacrylamide gel, 493
Dextran sulfate, Ca^{2+}-mediated interaction with DMPC, ^2H NMR, 909
Dictyostelium, differential adhesion and chemotaxis in mound formation, 2615
Dielectrophoresis, unified RC model for electrorotation, electroporation, induced transmembrane potential, impedance and, 1107
Diffraction, equatorial, pattern of collagenous tissues, 1058
Diffusion
analysis of fluorophore diffusion, 557
anomalous, FRAP analysis of, 557
monomer, actin filaments turnover fraction and, ECs, 2070
of solvents around biomolecular solutes, MD simulation, 150
Diffusion coefficients, solute, unstirred layer size as function of, 1403
Dihydrofolate reductase, UVRR study of drug-protein interactions, 1097
Dihydropyridine receptor, subunit mutants, L-type Ca^{2+} current in myotubes with, 207
Dimethyl sulfoxide, water mixtures with, structure and interactions, DPPC lipid membranes, 2343
Dimyristoylphosphatidylcholine, hydration of multibilayers adsorbed on mica, 2157
Dimyristoyl-*sn*-glycero-3-phosphocholine, Ca^{2+}-mediated DS interaction with, ^2H NMR, 909
Dioleoylphosphatidylcholine bilayers, hydrated, structure and interactions of, 917
L-α-Dipalmitoylphosphatidylcholine, submicron structure of monolayers and bilayers of, 342
Dipole effects, noncontact, on channel permeation, 2830
Distance geometry, 3-D structures of opioid receptors from, 612
DMPC. *see* Dimyristoylphosphatidylcholine; Dimyristoyl-*sn*-glycero-3-phosphocholine
DMSO. *see* Dimethyl sulfoxide
DNA
binding free energy of lambda cl repressor, electrostatic contributions to, 2262
complexes with *trp* repressor, visualized by AFM, 2712
condensation and topological defects, 714
double-helical, hydration of phosphate group in, 2422
double or single stranded, DNA SAM for specific attachment of, 1997
elongated by convective fluid flow, SFM imaging of, 513
frayed wires, CD of, 982
heat capacity of ligand binding, electrostatics and, 769
hexagonally packed, stabilized by curvature stress, bacteriophage T7, 1223
interactions with lipids, destabilization of bound lipids and DNA dissociation, 1040
potassium-stabilized quadruplex, MD and NMR analyses, 968
melting in presence of Na and Mg ions analyzed by polyelectrolyte theories, 3041
parallel-stranded duplex, structure of base pairs, NMR, 1163
protein complexes with, trapping electrophoresis and ratchets, 1228
protein interactions with, hydration and, 2170
salt-dependent superhelix diameter studied by small angle neutron scattering and Monte Carlo simulations, 3057
sequence-dependent dynamics of binding sites for TATA-boxes, 372
spectroscopic and thermodynamic study of porphyrin/DNA supramolecular assemblies, 1024
structural equilibrium with different force fields, 134
symmetry laws for interaction between helical macromolecules, 2513
triple-helical poly(dT)-poly(dA)-poly(dT), stability with counterions, 70
B-DNA
interionic correlations and electrostatic potential of, 2732
tethered, hydrodynamic and electrophoretic stretch of, 1197
DNA-lipid complexes, lamellar, structure, stability and thermodynamics, 159
6-Dodecanoyl-2-dimethalamine-naphthalene. *see* LAURDAN
DOPC. *see* Dioleoylphosphatidylcholine
Doxorubicin, electrochemical monitoring of efflux, sensitive and drug-resistant cancer cells, 2255
DPPC. *see* L-α-Dipalmitoylphosphatidylcholine
Dried polymer films, incorporating deionized bR, photochemistry, 1619
DS. *see* Dextran sulfate

E

Ectothiorhodospira halophila, photocycle intermediates in PYP from, 406
EF-hand motif, mutations impair barium current inactivation of cardiac α_{1C}-channels, 1727
Elasticity
modeling nonlinear, red blood cells, 1141
muscle thick filaments, measured by nanofabricated cantilevers, 938
of titin, 2613
Electric fields

electroconformational changes K^+ channel proteins, 196
ELF, threshold limits for long cell response to, 2251
low, fish sensitivity to (letter), 2117
Electric signals, during bR photocycle of, over pH range, 3120
Electron spin resonance, mixed membrane models with DMPC and DMPS study with cholestane, 2532
Electrooptics, studies of electropulsation, *E. coli*, 2587
Electropermeabliization, to macromolecules, controlled by pulse duration, mammalian cells, 1415
Electrophoresis, trapping, ratchets and, protein-DNA complexes, 1228
Electrophoretic stretch, tethered B-DNA, 1197
Electroporation
effect of surfactant on lipid bilayers, 880
electroconformational changes K^+ channel proteins, 196
unified RC model for electrorotation, induced transmembrane potential, impedance, dielectrophoresis and, 1107
Electropulsation, electrooptics studies of *E. coli*, 2587
Electroreceptor model, *Gnathonemus petersii*, origin of differences between A- and B-receptors, 1712
Electrorheological modeling, permeabilization of stratum corneum, 2721
Electrorotation, unified RC model for electroporation, induced transmembrane potential, impedance, dielectrophoresis and, 1107
Electrostatics
contributions to binding free energy of lambda cI repressor to DNA, 2262
contribution to heat capacity of DNA-ligand binding, 769
field strength at exocytosis site, adrenal chromaffin cells, 1237
ligand-gated ion channels, 1211
potential, interionic correlations and, of B-DNA, 2732
Endothelial cells, actin filament, turnover fraction and monomer diffusion in, 2070
Energy flow, in biomolecules, application to tuna cytochrome *c*, 60
Enthalpy-entropy compensation, allosteric properties of *B. stearothermophilius* PFK, 1010
Enzymes, activity below dynamical transition at 220 K, 2504
EPC. *see* Egg phosphatidylcholine
Epibatidine, selectively activates muscle AChR, 1817
Erythrocytes
camel and camelids, augmented water binding and low cellular water content, 3085
cytoskeleton at large deformation
micropipette aspiration, 1584
microscopic models of, 1573
human
intracellular pH or transmembrane in control of shape (letter), 569
molecular mechanism governing shape (letter), 568
temperature transitions of protein properties in, 3179
human erythrocyte band 3, oligomeric state of, 1117
modeling nonlinear elasticity, 1141
Escherichia coli
electropulsation, electrooptics studies of, 2587
F_1 ATPase, quaternary structure of, X-ray scattering, 2212
Excitation-contraction coupling
L-type Ca^{2+} current in DHPR subunit mutants, 207
model of calcium spark formation and detection, cardiac myocytes, 15
Excitation energy, flow in light-harvesting complex II, 3064
Exocytosis
capacitance of small granules in cell-attached configuration, 53
intact epithelial monolayers, dynamic measurements of membrane capacitance, 2743
site, electrostatic fields strength at, adrenal chromaffin cells, 1237
Eyes
human, integration of corneal and limbal fibrils in, 2508
lattice model for transmissivity of cornea and sclera, 2520

F

Fatty acids, effects on phase transition and luminescence of firefly luciferase, 1052
Fay, Fredric Stewart, tribute to, 1599
FCM. *see* Fluorescence correlation microscopy
Ferrocytochrome *c*-522, *Nitromonas europaea*, structure of, 1964
Fertilization, simulation of calcium-ion wave in *Xenopus* eggs, 2088
Fiber optic image conduit, assessment of microscopic activation patterns in cardiac tissue, 1062
Fibrin, clot, chloride ion regulates structure of, 1973
Fibroblast growth factor, basic, interaction with PNU145156E, 672
Fibroblasts
adherent, measurement of viscoelastic parameters by magnetic bead microrheometry, 2038
loaded with ACh, exocytic secretion of, 1354
Fibronectin III, titin domains, stability measured by AFM, 3008
Filament orientation, liquid crystallin sols, effect of F-actin, 2672
Filipin, lesions induced by, planar phospholipid bilayers, imaged by AFM, 1869
Films, spreading technique for formation of, in captive bubble, 2229
Film trapping, energy of adhesion of human T cells to MAb adsorption layers, 545
Fish, sensitivity to low electric fields (letter), 2117
Fluid flow, convective, SFM imaging of DNA elongated by, 513
Fluid stresses, influence on cells adhering to microchannels, 721
Fluorescence anisotropy decay, assignment of local motions by, 2564
Fluorescence correlation microscopy, cells, in presence of autofluorescence, 2547
Fluorescence imaging, cholesterol distribution in living cells, using dehydroergosterol, 1915
Fluorescence induction curve, of photoinhibited thylakoids, 503
Fluorescence photobleaching recovery, interferometric fringe, measurements of cell surfaces, 1131
Fluorescence recovery after photobleaching
and analysis of fluorophore diffusion, 557
conofocal, diffusion of biological polymers measured by, 1032
Fluorescence resonance energy homotransfer, oligomeric state of human erythrocyte Band 3, 1117
Fluorescent probes, intracellular concentrations measured by confocal microscopy, 1648
Fluorophores, analysis of diffusion by continuous distribution of diffusion coefficients, 557
Fluorotryptophan, sequestered in amphiphilic nanoparticle, location by REDOR NMR, 2574
Folding. *see also* Refolding; Unfolding
Monte Carlo simulations of de novo designed helical proteins, 92
protein, matching theory and experiment, 428
stability of, and refolding efficiency of single-chain antibody fragments, 1473
volume changes for pressure-induced transitions of apomyoglobin states, 463
Force fields, DNA structural equilibrium and, 134
Fourier transform infrared spectroscopy, of lipid-protein interactions, 840
FPR. *see* Fluorescence photobleaching recovery
FRAP. *see* Fluorescence recovery after photobleaching
Free energy eigenfunctions, hydrophobic, contain β-burst patterns, pore, channel and transporter proteins, 2332

Free energy simulations, H^+ conduction along hydrogen-bonded chains of water molecules, 33
FTIR. *see* Fourier transform infrared spectroscopy
FucP, substrate binding to, NMR study, 2794
Fusion pores, capacitance flickers of small granules in cell-attached configuration during exocytosis, 53

G

Gap junctions, connexin46, voltage gate localized in hemichannels, 2323
Gating
alteration by phencyclidine analog, NMDA open channel block and, 1801
connexin46 gap junctions, voltage gate localized in hemichannels, 2323
contribution of AChR δ subunit, 218
of KvLQT1 potassium channels, 785
movement of machinery during activation of rod CNG channels, 825
single cardiac sodium channel inactivation in three different modes, 1740
of VDAC, sensitivity to ion flow, 704
Gels, lamellar, based on PEG-lipids, influence of polymer molecular weight in, 272
Gelsolin
calcium regulation of activity, 3101
severing of F-actin by amino terminal half of, 3092
Glucose, effect on head group mobility in freeze dried DPPC bilayers, 2947
Glutamate
competition for a volume-regulated anion conductance, 226
ion permeation and, linked by PNP2 theory in L-type calcium channels, 1287
Glycine receptor, electrostatics and selectivity of, 1211
Glycogen, physical constraints in the synthesis of, 106
Glycolysis, goat epididymal spermatozoa, activated by arginine, 1522
Glycosphingolipid, water dynamics in aggregates of, by LAURDAN fluorescence, 331
Gnathonemus petersii, origin of differences between A- and B-receptors, electroreceptor model, 1712
GPCRs. *see* G protein-coupled receptors
G protein-coupled receptors
3-D structures of opioid receptors, 612
proposed structure for TMS 7, 601
Gramicidin, conformation shift with multivalent cationic salts, 635
Gramicidin A, in lipid membranes, ^{13}C solid-state NMR of, 2478
Gramicidin A channels
conductance, membrane surface-charge titration of, 1783
dioxolane-linked, proton currents attenuated by methanol in lipid bilayers, 2811
(5F-Indol)Trp^{13} modified, noncontact dipole effects on permeation, 2830
Gramicidin D, heterodimer formation and crystal nucleation of, 2135
GSL. *see* Glycosphingolipid
Gyrase, UVRR study of drug-protein interactions, 1097

H

HA. *see* Hemagglutinin
Halobacterium salinarium
high-affinity cation-binding site of the purple membrane, 777
photoresponses to repetitive pulse stimulii, 1466
Halothane
binding to serum albumin and myoglobin, 477
MD simulations in hydrated liquid crystal phase of DPPC, 2123
Head group mobility, in freeze dried DPPC bilayers, effect of sugars on, 2947
Heart
model of calcium spark formation and detection, cardiac myocytes, 15
muscle calcium release channels, regulation by SR lumenal calcium, 2302
Na-Ca exchange and SR calcium release, ventricular myocytes, 359
spiral waves in two-dimensional models of ventricular muscle: formation of stationary core, 1
Heat capacity, of DNA-ligand binding, electrostatics and, 769
Helical macromolecules, symmetry laws for interaction between, 2513
Helical proteins, de novo designed, Monte Carlo simulations of, 92
α-Helices
characteristics in globular proteins, 1935
hydrophobicity and solvent-mediated charge-charge interactions in stability of, 2637
Helix formation, and protein folding, matching theory and experiment, 428
Helix propensity scale, based on studies of peptides and proteins, 422
Hemagglutinin, influenza, refolding and membrane lipid rearrangements, 1384
Heme proteins, conformational fluctuations in Zn-substituted myoglobin, 521
Hemoglobins
homodimeric, spectroscopic analysis of mutant, MD simulation, 2489
site-specific crosslinked, functional comparison of, 3078
trematode, oxygen affinity of, 990
High density lipoproteins, model human, α-tocopherol interaction with, 2923
HtrII, modulates lifetimes of SRII photointermediates, 2435
Hyaluronan, AFM of, 2030
Hydration
and conformational equilibria of hydrophobic and amphiphilic solutes, 755
levels of, thermal motions in bR, studied by neutron scattering, 1945
phosphate group in double-helical DNA, 2422
relationships between protein-DNA interactions and, 2170
Hydration force, in AFM, computational study of, 1076
Hydrodynamic stretch, tethered B-DNA, 1197
Hydrophobicity, in stability of α-helices, 2637
Hydrostatic pressure
induction of subunit dissociation and unfolding of dimeric β-lactoglobulin, 471
reversible stalling of transcription elongation complexes, 453
Hydroxyethyl starch, effect on head group mobility in freeze dried DPPC bilayers, 2947
Hydroxylamine, light-induced reactions in nonisomerizable bR pigments, 413
Hyperthermia, malignant, human, voltage-dependent calcium release in skeletal muscle fibers from, 2402

I

Imaging
four-Pi confocal, fixed biological specimens, 1659
height and adhesion imaging of antibody-antigen interactions by AFM, 2220
high resolution single-wavelength calcium, 2025
living cells, by low-force contact-mode AFM, 695
Imipramine, inhibits transient potassium current, 2845

Immunoglobulin, titin domains, stability measured by AFM, 3008
Impedance, unified RC model for dielectrophoresis, electrorotation, electroporation, induced transmembrane potential and, 1107
Infrared dichroism, nonaxiality in ratios, in polytopic transmembrane proteins, 354
Infrared difference spectra, SR Ca^{2+}-ATPase phosphorylation, 538
Infrared spectroscopy, polarization-modulated, photosystem II core complex studied by, 2888
Inositol 1,4,5-trisphosphate receptor, recombinant type 1, single channel function of ligand-binding domain variants, 2783
Inositol 1,4,5-trisphosphate receptor channels, type-2, function of, 834
rInsP$_3$R-T1. *see* Inositol 1,4,5-trisphosphate receptor, recombinant type 1
Insulin, ultralente crystals, characterized by AFM, 1172
Integrins, α_2, L-selectin and, kinetics of bonding, neutrophil aggregation in shear flow, 3163
Interferometric fringe fluorescence photobleaching recovery, measurements of cell surfaces, 1131
Ion channels
ligand-gated, electrostatics and selectivity of, 1211
models of, namic properties of sodium ions in, MD simulations, 2767
Ion flow, sensitivity of VDAC gating to, 704
Ionic currents, across model membrane channel using BD simulations, 793
Ionic flux rectification, molecular and, ELF electrical field threshold limits for long cell response to, 2251
Ionic strength, physicochemical factors in cytochrome c_3 dependent on, 1483
Ionomycin, lanthanide series cation transport by, 1244
Ion permeation
calcium channels and, PNP2 model, 1142
and glutamate residues linked by PNP2 theory in L-type calcium channels, 1287
Ion selectivity, inward rectifier potassium channels, subunit pore regions and, 1330
Iron
iron-heme conformations in ferric myoglobin, 3154
sites in neuromelanin and synthetic analogs, 3135

K

Keratocytes, fish, calcium waves induced by large voltage pulses in, 1669
Kidney, proximal tubule cells, kinetic models of sodium bicarbonate cotransporter, 810
Kinesin, motor domain, prediction of nucleotide-dependent movements by simulated annealing, 646
Kinetics
adhesion under Couette flow, IgE-sensitized rat basophilic leukemia cells, 2597
of adsorption, lipid vesicles surface specific, measured with QCM, 1397
of α_2 integrin and L-selectin bonding, neutrophil aggregation in shear flow, 3163
measured by micropipette, ligand binding to receptors, 1553
of virus capsid self-assembly, local rules simulation, 2626
Kir2.1 channels, barium interaction with pores of, *Xenopus* oocytes, 2313
Kv1.5, human, delayed rectifier, multiple open and inactivated states, 183
KvLQT1, potassium channels, activation and inactivation of, 785

L

α-Lactalbumin, goat, calcium-dependent perturbations induced by bis-ANS, 2195
β-Lactoglobulin, dimeric, pressure-induced subunit dissociation and unfolding, 471
Lambda cI repressor, binding free energy to DNA, electrostatic contributions to, 2262
Lamellar gels, based on PEG-lipids, influence of polymer molecular weight on, 272
Lamm equation, sedimentation analysis of noninteracting and self-associating solutes using, 1503
Langmuir-Blodgett technique, submicron structure of DPPC monolayers and bilayers, 342
Lanthanides
cation transport by A23187, 4-BrA23187 and ionomycin, 1244
chelates with phospholipids, magnetic alignment of membranes induced by, 2163
Lattice model, for transmissivity of cornea and sclera, 2520
Lattice volume changes, myosin, from single muscle fiber stimulation, 2984
LAURDAN fluorescence, water dynamics in GSL aggregates studied by, 331
Lectins, *Ricinus communis* and *Viscum album*, model membrane dehydration induced by, 2868
Leukemia cells, IgE-sensitized rat basophilic, kinetics of adhesion under Couette flow, 2597
Leukocytes, cell transit analysis of ligand-induced stiffening of, 1541
LHCII. *see* Light-harvesting complex II
Light gradients, in spherical photosynthetic vesicles, 124
Light harvesting complex I (B875), model for, *Rh. sphaeroides*, 683
Light-harvesting complex II
flow of excitation energy in, 3064
spinach, carotenoid triplet formation in, 3143
Light scattering, protein interactions in solution, comparisons of lysozyme and chymotrypsinogen, 2682
Limbal fibrils, integration of corneal fibrils and, human eye, 2508
***Limulus polyphemus*,** muscle thick filaments elasticity measured by nanofabricated cantilevers, 938
Lipid, vertical dislocation induced by proteins in model membrane system, 2915
Lipid bilayers
addition of surfactant, effect on electroporation voltages, 880
attenuation of dioxolane-linked gramicidin A channel proton currents by methanol, 2811
cholesterol-induced variations in volume and enthalpy fluctuations in, 264
containing lysolipid, characteristics of, 321
DMPC
adsorbed on mica, 2157
MD simulation of melittin in, 1603
DPPC, structure and interactions in DMSO/water mixtures, 2343
fully hydrated DOPC, 917
interaction with substance P, neutron diffraction study, 889
interfacially localized tryptophan, analogs in, NMR studies, 1365
membranes, CPWR studies of cytochrome b_6f/plastocyanin system in, 1874
planar asymmetrical, anthrocyclin orientation in, SERRS, 2368
planar phospholipid, filipin-induced lesions imaged by AFM, 1869
polymer-cushioned, structural studies of, neutron reflectometry, 2363
polyunsaturated, effect of cholesterol on, 896
structure calculations and phospholipid component volumes, 734

thermodynamics of PEG chains grafted to, 2900
view at 9Å resolution, calcium pump of SR, 41
Lipid membranes, ^{13}C solid-state NMR of gramicidin A in, 2478
Lipid monolayers, anthrocyclin orientation in, SERRS, 2368
Lipid-protein interactions, FTIR of, 840
Lipids
Acholeplasma laidlawii, total lipids form nonlamellar phases, 2877
characteristics and structure of transmembrane proteins, 1410
DNA interactions with, destabilization of bound lipids and DNA dissociation, 1040
lamellar complexes with DNA, 159
peroxidized, aggregation and plasma membrane stability in photolysis, theoretical formalism for, 2956
Lipid vesicles, surface specific kinetics of adsorption, measured with QCM, 1397
Liposomes, mechanism of detergent solubilization of, 2932
Liquid crystal phase, hydrated, DPPC, MD simulations of halothane in, 2123
Local-access model, application to bR photocycle, 1455
Local rules simulation, of kinetics of virus capsid self-assembly, 2626
Luciferase, firefly
alcohols and fatty acids in phase transition and luminescence, 1052
structural basis for bromoform inhibition by, 2205
Luminescence, effects of alcohols and fatty acids on firefly luciferase, 1052
Lysolipid, characteristics of lipid bilayers containing, 321
Lysozymes
chymotrypsinogen and, protein interactions in solution, light and neutron scattering, 2682
human, stability and denatured state structure, 2178

M

Macromolecules
diffusion measured by conofocal FRAP, 1032
electropermeabilization to, controlled by pulse duration, mammalian cells, 1415
helical, symmetry laws for interaction between, 2513
partition and permeation of dextran in polyacrylamide gel, 493
time-resolved analysis of structures during reactions by stopped-flow electrooptics, 528
Macrophages, membrane capacitance changes and particle uptake during phagocytosis, 2577
Magainin-induced pores, neutron off-plane scattering of aligned membranes, 641
Mag-indo-1, measurement of Mg concentration in skeletal muscle fibers with, 957
Magnesium-adenosine diphosphate, promotes catch-like state in tonic smooth muscle, 1926
Magnesium ions
dependency of thermal denaturation of mitochondrial F_1-ATPase, 1980
in skeletal muscle fibers, measured with Mag-indo-1, 957
Magnetic alignment, membranes, phospholipids lanthanide chelate-induced, 2163
Mammalian cells, electropermeabilization to macromolecules, controlled by pulse duration, 1415
Mass transport, binding data influenced by, interpretation using BIACORE, 583
Matrices, fiber, partition and permeation of dextran in polyacrylamide gel, 493
Melittin, MD simulation in DMPC bilayers, 1603
Melting, DNA, in presence of Na and Mg ions analyzed by polyelectrolyte theories, 3041
Membrane capacitance, dynamic measurements of, intact epithelial monolayers, 2743
Membrane channels, ionic currents across, studied with BD simulations, 793
Membrane patches, giant, activation of K_{ATP} channels by sodium/potassium pump, 2858
Membrane proteins
curvature-mediated interactions between, 2274
model for lipid-mediated 2-D array formation of, 1180
Membranes
activity of, effect of cobra cardiotoxin D57N mutation on, 2382
breakdown by electrical and mechanical stress, 247
capacitance changes and particle uptake during phagocytosis, macrophages, 2577
dehydration model, induced by *Ricinus communis* and *Viscum album* lectins, 2868
EPC, MOPC and tensile strength of, 321
free energy profiles for H^+ conduction along hydrogen-bonded chains of water molecules, 33
lipid-assisted microinjections into, small cells, 2558
lipid bilayer, CPWR studies of cytochrome b_6f/plastocyanin system in, 1874
lipid rearrangements and refolding, influenza HA, 1384
mixed models with DMPC and DMPS, ESR study with cholestane, 2532
optical tweezer-induced dynamic excitations in, 294
phospholipid, NMR study of inter-proton pair order parameters in, 1372
phospholipid lanthanide chelate-induced magnetic alignment of, 2163
phospholipid vesicular, A23187-mediated monovalent metal ion transport across, 1749
planar, porin open channel characteristics in, 1255
protein-induced vertical lipid dislocation in model system, 2915
Membrane surface-charge, titration of gramicidin A channel conductance, 1783
Meromyosin, head cooperativity in actin binding, 926
Metal ions, monovalent, transport across phospholipid vesicular membranes, A23187 mediation of, 1749
Methanol, attenuation of dioxolane-linked gramicidin A channel proton currents by, in lipid bilayers, 2811
6-Methoxy-*N*-(3-sulfopropyl)quinolinium, assessment chloride channel swelling using, 115
***N*-Methyl D-aspartic acid receptor**, open channel block and gating alteration by phencyclidine analog, 1801
MH. *see* Hyperthermia, malignant
Mica, hydration of DMPC lipid bilayers adsorbed on, 2157
Microchannels, cells adhering to, influence of fluid stresses, 721
Microinjections, lipid-assisted, into small cells, 2558
Micropipettes
erythrocyte aspiration, cytoskeleton at large erythrocyte deformation, 1584
kinetics measured by, ligand binding to receptors, 1553
Microrheometry, magnetic bead, viscoelastic parameters of adherent cell surfaces measured by, 2038
Microscopy, continuous wave two-photon scanning near-field optical, 1513
Microtubules
origin of fluorescent speckles in, 2059
role in depolymerization-driven transport, Monte Carlo simulation, 1529
Mitochondria
nucleotide and magnesium ion dependency of thermal denaturation of F_1-ATPase, 1980
role in calcium regulation of cardiac muscle contraction, 2004
Molecular dynamics, halothane, in hydrated liquid crystal phase of DPPC, 2123
Molecular dynamics simulations
borate ion interactions with surface sites of cytochrome *c*, 2461

constant pressure, effects of cholesterol in DPPC bilayer, 2147
diffusion of solvents around biomolecular solutes, 150
DNA structural equilibrium and different force fields, 134
dynamic properties of sodium ions in ion channel models, 2767
energy flow in biomolecules, application to tuna cytochrome *c*, 60
melittin in DMPC bilayers, 1603
particle mesh Ewald, analysis of potassium-stabilized quadruplex, 968
properties of homodimeric hemoglobin mutant, 2489
of TATA-box binding sites, 372
unfolding of titin Ig domains by, 662
Molecular flux rectification, ionic and, ELF electrical field threshold limits for long cell response to, 2251
Monoclonal antibodies, adsorption layers of, energy of adhesion of human T cells to, 545
Monolayers, intact epithelial, dynamic measurements of membrane capacitance, 2743
Monooleoylphosphatidylcholine, and tensile strength of EPC membranes, 321
Monte Carlo simulations
of de novo designed helical proteins, 92
microtubules and depolymerization-driven transport, 1529
salt-dependent superhelix diameter studied by, DNA, 3057
thermodynamics of PEG chains grafted to lipid bilayers, 2900
MOPC. *see* Monooleoylphosphatidylcholine
Motor domains, kinesin, prediction of nucleotide-dependent movements by simulated annealing, 646
Multiphoton excitation, compared with confocal imaging, optical sections in scattering specimens, 2015
Multiple wavelength anomalous diffraction, sulfur K-edge, sulfur distribution in bR, 255
Muscles
cooperativity between meromyosin heads in actin binding, 926
cross-bridge theories, optically trapped actin filaments, 2996
single fiber stimulation, myosin lattice volume changes, 2984
skeletal, intracellular Mg in, measured with Mag-indo-1, 957
Myocytes
cardiac
activation of K_{ATP} channels by sodium/potassium pump, 2858
model of calcium spark formation and detection, 15
saltatory Ca^{2+} wave propagation by Ca^{2+} sparks, 595
ventricular, Na-Ca exchange and SR calcium release, 359
Myofilaments, calcium distribution in A and I bands of stretched muscle fibers, 948
Myoglobin
chromophore-protein interactions in, probed by photoexcited triplet state, 1491
ferric, iron-heme conformations in, 3154
mutants and geminate yield in CO rebinding, 2188
serum, effects of halothane binding on, 477
Zn-substituted, conformational fluctuations, 521
Myosin
analysis of mutation causing familial hypertrophic cardiomyopathy, 3023
head cooperativity in actin binding, 926
lattice volume changes from single muscle fiber stimulation, 2984
single one-headed, orientation-dependent displacement, relative to actin filament, 1886
***Mytilus edulis*,** muscle thick filaments elasticity measured by nanofabricated cantilevers, 938

N

Nanoparticle, amphiphilic, fluorotryptophan sequestered in, location by REDOR NMR, 2574
***Natronobacterium pharaonis*,** photocycle of sensory rhodopsin II, 999
Neurites, guidance of, autocorrelation function and power spectrum of random processes in, 1189
Neuromelanin, iron sites in synthetic analogs and, 3135
Neuromuscular junctions, synaptic transmission analysis using continuum finite element model, 1679
Neurons
development of, analysis of cytoskeleton based exploration, 1189
trigeminal, evidence for novel bursting mechanism, 174
Neurotransmitters, exogenous, secretion by nonneural cells, 1354
Neutron diffraction, substance P interaction with lipid bilayers, 889
Neutron off-plane scattering, of aligned membranes, 641
Neutron reflectometry
solid-solution interface, polymer-modified phospholipid monolayers, 2352
structural studies of polymer-cushioned lipid bilayers, 2363
Neutron scattering
protein interactions in solution, comparisons of lysozyme and chymotrypsinogen, 2682
small angle, salt-dependent superhelix diameter studied by, DNA, 3057
thermal motions in bR at different hydration levels, 1945
Neutrophils
aggregation in shear flow, kinetics of α_2 integrin and L-selectin bonding, 3163
capacitance flickers of small granules in cell-attached configuration during exocytosis, 53
Nitric oxide, diffusion and reaction in suspension cell cultures, 745
***Nitromonas europaea*,** structure of ferrocytochrome *c*-522, 1964
NMDA. *see N*-Methyl D-aspartic acid receptor
NMJ. *see* Neuromuscular junctions
Nonlamellar phases, formation by *Acholeplasma laidlawii* total lipids, 2877
Nuclear magnetic resonance
analysis of potassium-stabilized quadruplex, 968
^2H, Ca^{2+}-mediated DS interaction with DMPC surfaces, 909
high-resolution, high-pressure, studies of proteins, 445
interfacially localized tryptophan analogs in lipid bilayers, 1365
parallel-stranded duplex DNA, structure of base pairs, 1163
^{31}P magic angle spinning, tracking of PL populations in polymorphism by, 867
REDOR, fluorotryptophan sequestered in amphiphilic nanoparticles, 2574
study of inter-proton pair order parameters in phospholipid membranes, 1372
substrate binding to transport proteins, 2794
Nucleotide, dependency of thermal denaturation of mitochondrial F_1-ATPase, 1980

O

Omp32, *Comamonas acidovorans*, open channel characteristics of, 1255
OmpF, effect on binary lipid mixtures, FTIR study, 840
Opioid receptors, 3-D structures of, 612
Optical recording system, fiber optic image conduit in, microscopic activation patterns in cardiac tissue, 1062
Optical sections, scattering specimens, multiphoton excitation compared with confocal imaging, 2015
Optical trapping, actin filaments, tests of muscle cross-bridge theories, 2996
Optical tweezers
cross-bridges stiffness determined by, actomyosin, 1424

induction of dynamic excitations in membranes by, 294
Osmosis, second virial coefficients of proteins, 2469
Osmotic stress, use in antithrombin conformers structure/function studies, 573
Oxygen, affinity of trematode hemoglobins for, 990

P

Packing
effect of cholesterol on polyunsaturated lipid bilayers, 896
hexagonal, of DNA, stabilized by curvature stress, bacteriophage T7, 1223
tracking of PL populations in polymorphism by NMR, 867
PE. *see* Phosphatidylethanolamine
PEG. *see* Polyethyleneglycol
PEG-lipids, lamellar gels based on, influence of polymer molecular weight on, 272
Peptides, helix propensity scale based on studies of, 422
Permeability
chloride channel swelling assessed by SPQ fluorescence, 115
dextran in polyacrylamide gel, 493
Permeabilization
mammalian cells, to macromolecules, controlled by pulse duration, 1415
stratum corneum, electrorheological modeling of, 2721
Permeation
channels, noncontact dipole effects on, 2830
ionic currents across model membrane channel, BD simulations, 793
PFK. *see* Phosphofructokinase
pH
intracellular, and control of erythrocyte shape (letter), 569
range of
electric signals of bR photocycle over, 3120
thermodynamics of bR photocycle, 3110
Phagocytosis, macrophages, membrane capacitance changes and particle uptake during, 2577
Phase evolution, lamellar DNA-lipid complexes, 159
Phase transitions, effects of alcohols and fatty acids on firefly luciferase, 1052
Phencyclidine, alteration by analog of, NMDA open channel block and gating, 1801
Phosphates
group, in double-helical DNA, hydration of, 2422
release after photoliberation of ATP, skeletal muscle fibers, 2389
release by cycling cross-bridges in portal vein smooth muscle, 3031
Phosphatidylcholine
egg, tensile strength and MOPC concentration, 321
monofluorinated forms interdigitated bilayers, 1858
Phosphatidylethanolamine, cubic phases in dispersions of, 853
Phosphofructokinase, *B. stearothermophilius,* temperature and pH on allosteric properties, 1010
Phospholipid bilayers
DPPC, constant pressure MD simulation of cholesterol effects in, 2147
reconstitution by AFM tip, 2119
structure of, effects of anesthetics, 2123
Phospholipid membranes, NMR study of inter-proton pair order parameters in, 1372
Phospholipid monolayers, polymer-modified, neutron reflectivity at solid-solution interface, 2352
Phospholipids
chelates with lanthanide, magnetic alignment of membranes induced by, 2163
component volumes and lipid bilayer structure calculations, 734
populations tracking in polymorphism by ^{31}P magic angle spinning NMR, 867
Phospholipid vesicular membrane, A23187-mediated monovalent metal ion transport across, 1749
Phosphorylation, IR spectra of SR Ca^{2+}-ATPase phosphorylation, 538
Photoactive yellow protein, *Ectothiorhodospira halophila,* photocycle intermediates in, 406
Photobleaching, measurement of multicomponent and anomalous diffusion, 557
Photochemistry, dried polymer films, incorporating deionized bR, 1619
Photocycles
bR
charge-controlled conformational changes in, 399
connectivity of retinal Schiff base during, 1455
electric signals over pH range, 3120
thermodynamics studied over pH range, 3110
intermediates in PYP from *Ectothiorhodospira halophila,* 406
L-to-M transition of, bR, 1446
of sensory rhodopsin II, *Natronobacterium pharaonis,* 999
Photoliberation, ATP, phosphate release after, skeletal muscle fibers, 2389
Photolysis, theoretical formalism for peroxidized lipid aggregation and plasma membrane stability, 2956
Photon responses, single, reproducibility of, retinal rods, 1836
Photoresponses, to repetitive pulse stimulii, *Halobacterium salinarium,* 1466
Photosynthetic vesicles, spherical, light gradients in, 124
Photosystem II core complex, studied by polarization-modulated IR and X-ray reflectivity, 2888
Photosystem II reaction centers, model for fluorescence induction curve of photoinhibited thylakoids, 503
Phototransformation, primary, of bR, three state model of, 1689
Plasma membranes, stability, theoretical formalism for peroxidized lipid aggregation during photolysis, 2956
Plastocyanin
BD simulation of interaction between cytochrome *f* and, 2698
and cytochrome b_6f system in lipid bilayer membranes, CPWR studies of, 1874
PNU145156E, bFGF interaction with, 672
Poisson-Nernst-Planck-2 theory
calcium channels and ion permeation, 1142
ion permeation and glutamate residues in L-type calcium channels linked by, 1287
Polyacrylamide gel, partition and permeation of dextran in, 493
Poly(β-benzyl-L aspartate) monolayers, structural study at air-liquid interfaces, 2451
Polyelectrolyte theories, DNA melting in presence of Na and Mg ions analyzed by, 3041
Polyethyleneglycol, chains grafted to lipid bilayers, thermodynamics of, 2900
Poly-(L-lysine), effect on binary lipid mixtures, FTIR study, 840
Polymer networks, thermodynamics, cell wall expansion model based on, 2240
Polymers, influence of molecular weight in lamellar gels based on PEG-lipids, 272
Pore proteins, hydrophobic free energy eigenfunctions contain β-burst patterns, 2332
Pores, subunit regions and ion selectivity in inward rectifier potassium channels, 1330
Porin
OmpF, effect on binary lipid mixtures, FTIR study, 840
open channel characteristics in planar membranes, 1255
Porphyrin/DNA assemblies, supramolecular, spectroscopic and thermodynamic study of, 1024
Potassium$_{ATP}$ channels, activation by sodium/potassium pump, cardiac myocytes and giant membrane patches, 2858
Potassium channels

ATP-sensitive, activation in colonic smooth muscle cells, 1793
delayed rectifier, electroconformational changes in proteins, 196
hKv1.5 delayed rectifier, multiple open and inactivated states, 183
inwardly-rectified, barium interaction with channel pores, *Xenopus* oocytes, 2313
inward rectifier, subunit pore regions and ion selectivity in, 1330
KvLQT1, activation and inactivation of, 785
large conductance calcium-activated, calcium sensitivity of, 1774
Shaker, loss of conductance in 0 K^+ solution, 1828
Shaker and eag subunits, assembly in *Xenopus* oocytes, 1263
Potassium ions, transient current, inhibited by imipramine, 2845
Power spectrum analysis, random processes in neurite guidance, 1189
Prepowerstroke state, actin-attached cross-bridges in, phase transition in force during ramp stretches of skeletal muscle, 2971
Pressure, induction of volume changes for apomyoglobin transitions between states, 463
1,1′-Bis(4-anilino-5-naphthalenesulfonate), calcium-dependent perturbations induced by, goat α-lactalbumin, 2195
Protease inhibitors, hydration structure of antithrombin conformers and water transfer during reactive loop insertion, 573
Protein condensation, international symposium on, 418
Protein-DNA interactions, relationships between hydration and, 2170
Proteins
DNA complexes with, trapping electrophoresis and ratchets, 1228
folding, matching theory and experiment, 428
globular, characteristics of α-helices in, 1935
helical, de novo designed, Monte Carlo simulations of, 92
helix propensity scale based on studies of, 422
high-resolution, high-pressure NMR studies of, 445
interactions in solution, comparisons of lysozyme and chymotrypsinogen, light and neutron scattering, 2682
origins of osmotic second virial coefficients of, 2469
polytopic, nonaxiality of IR dichroic ratios, 354
stability and denatured state structure, human lysozyme, 2178
temperature transitions of properties of, human red blood cells, 3179
transmembrane, lipid characteristics and structure of, 1410
vertical lipid dislocation in model membrane system induced by, 2915
Proton currents, dioxolane-linked gramicidin A channel, attenuated by methanol in lipid bilayers, 2811
Protons
free energy profiles for conduction along hydrogen-bonded chains of water molecules, 33
release, and B2 photocurrent of bR, 382
transfer, charge-controlled conformational changes in bR photocycle, 399
Proximal tubule cells, renal, kinetic models of sodium bicarbonate cotransporter, 810
Purple membrane, high-affinity cation-binding site of, 777
PYP. *see* Photoactive yellow protein

Q

Quadruplexes, potassium-stabilized, MD and NMR analyses, 968
Quartz crystal microbalance, lipid vesicles surface specific kinetics of adsorption, measured with, 1397
Quaternary structures, *E. coli* F_1 ATPase, X-ray scattering, 2212

R

Ratchets, trapping electrophoresis and, protein-DNA complexes, 1228
Receptors, ligand binding to, kinetics measured by micropipette, 1553
Receptor systems, syncytium structures, effect on stochastic resonance, 1700
Red blood cells. *see* Erythrocytes
Reentrant excitation, spiral waves in two-dimensional models of ventricular muscle, 1
Refolding. *see also* Folding; Unfolding
efficiency, folding stability and, single-chain antibody fragments, 1473
membrane lipid rearrangements and, influenza HA, 1384
Resistance-capacitor model, unified, for impedance, dielectrophoresis, electrorotation, electroporation and induced transmembrane potential, 1107
Resonance Raman spectroscopy, properties of homodimeric hemoglobin mutant, 2489
Retina, Schiff base, connectivity of, during photocycle of bR, 1455
Retinal rods, reproducibility of single photon response, 1836
Rhodobacter sphaeroides, model for light harvesting complex I (B875), 683
Rhodopsin, transducin binding to, studied by ATR-FTIR, 1306
Rhodopsin II, sensory, photocycle of, 999
Ricinus communis, lectins, model membrane dehydration induced by, 2868
RNA polymerase, reversible stalling of transcription elongation complexes by high pressure, 453
Rods, movement of gating machinery during CNG channel activation, 825
Ryanodine receptors, model of calcium spark formation and detection, cardiac myocytes, 15
Ryanodyne receptor channel, regulation by lumenal calcium, 2801

S

SAM. *see* Self-assembled monolayers
Sarcoplasmic reticulum
Ca^{2+}-ATPase, IR spectra of ATP-induced phosphorylation, 538
calcium pump of, view along lipid bilayer, 41
lumenal calcium, cardiac muscle calcium release channel regulated by, 2302
model of calcium spark formation and detection, cardiac myocytes, 15
Na-Ca exchange and calcium release by, ventricular myocytes, 359
smooth muscle, chloride channel blockers inhibit calcium uptake by, 1759
Saxitoxin, binding to sodium channel outer vestibule, 2647
Scanning force microscopy, imaging of DNA elongated by convective fluid flow, 513
Scanning near-field optical microscopy, continuous wave two-photon, 1513
Scattering specimens, optical sections, multiphoton excitation compared with confocal imaging, 2015
Schiff base, retinal, connectivity of, during photocycle of bR, 1455
Sclera, transmissivity of cornea and, lattice model for, 2520
Sedimentation, analysis of noninteracting and self-associating solutes using Lamm equation, 1503
L-Selectin, α_2 integrins and, kinetics of bonding, neutrophil aggregation in shear flow, 3163
Selectivity
chain ordering and, for permeant size and shape, DPPC bilayers, 2658

ligand-gated ion channels, 1211
Self-assembled monolayers
DNA, for specific attachment of double or single stranded DNA, 1997
variable density, probing structure of a target molecule, 1989
Sensory rhodopsin II, photointermediates of, HtrII modulates lifetimes of, 2435
SFM. *see* Scanning force microscopy
Shear flow, aggregation in, kinetics of α_2 integrin and L-selectin bonding, neutrophils, 3163
Single-chain antibody fragments, V_H/V_L interactions, folding stability and refolding efficiency of, 1473
SIRRS. *see* Surface-enhanced resonance Raman scattering study
Skeletal muscle
fibers from human MH, voltage-dependent calcium release in, 2402
phase transition in force during ramp stretches of, 2971
phosphate release after photoliberation of ATP, 2389
voltage-clamped fibers, supercharging accelerates potential changes, T-tubule membrane, 2098
SkM1, sodium channel, extrapore residues contributing to μ-CTX binding site, 236
Smooth muscle
A7r5 cell line, calcium leakage in, 1271
colonic, activation of ATP-sensitive potassium channels in, 1793
kinetics of calcium ion response to extracellular ATP in, 2050
portal vein, phosphate release by cycling cross-bridges in, 3031
rectococcygeus, calcium transients during contractions in, 1895
SR, chloride channel blockers inhibit calcium uptake by, 1759
tonic, MgADP promotes catch-like state in, 1926
Sodium bicarbonate cotransporter, kinetic models of, renal proximal tubule cells, 810
Sodium-calcium exchange, and SR calcium release, ventricular myocytes, 359
Sodium channels
amiloride-sensitive, stoichiometry of core conduction element in, 2292
outer vestibule, saxitoxin and tetrodotoxin binding to, 2647
rSkM1, extrapore residues contributing to μ-CTX binding site, 236
single cardiac, inactivation in three different gating modes, 1740
squid, charge immobilization through internal cysteine modification, 2821
Sodium ions, dynamic properties of, in ion channel models, MD simulations, 2767
Sodium-potassium-ATPase, sodium-dependent conformational changes of, 1340
Sodium/potassium pump, activation of K_{ATP} channels by, cardiac myocytes and giant membrane patches, 2858
Sodium salts, acceleration of cubic phases in PE dispersions, 853
Solubilization, mechanism of, liposomes with detergent, 2932
Solutes
biomolecular, diffusion of solvents around, MD simulation, 150
hydrophobic and amphiphilic, hydration and conformational equilibria of, 755
partitioning, and dextran in polyacrylamide gel, 493
sedimentation analysis of noninteracting and self-associating, using Lamm equation, 1503
unstirred layer size as function of diffusion coefficients, 1403
Solutions, protein interactions in, comparisons of lysozyme and chymotrypsinogen, light and neutron scattering, 2682
Solvents
charge-charge interactions mediated by, and stability of α-helices, 2637
diffusion around biomolecular solutes, MD simulation, 150
Sperm
calcium wave in *Xenopus* eggs induced by, characterized by confocal microscopy, 2079
goat epididymal, arginine activates glycolysis of, 1522
Spherical vesicles, optics of, 124
Spiral waves, in 2-D models of ventricular muscle: formation of stationary core, 1
SPOC. *see* Spontaneous oscillatory contractions
Spontaneous oscillatory contractions, without regulatory proteins in actin filaments, 1439
SPQ. *see* 6-Methoxy-*N*-(3-sulfopropyl)quinolinium
SR. *see* Sarcoplasmic reticulum
Stability, denatured state structure and, human lysozyme, 2178
Stiffening, ligand-induced, of leukocytes, cell transit analysis, 1541
Stiffness, cross-bridges, determined by optical tweezers, actomyosin, 1424
Stochastic resonance, effect of receptor system syncytium structure on, 1700
Stopped-flow electrooptics, time-resolved analysis of macromolecular structures during reactions by, 528
Stratum corneum, electrorheological modeling of permeabilization of, 2721
Stresses, electrical and mechanical, breakdown of cell membranes by, 247
Stretch
hydrodynamic and electrophoretic, tethered B-DNA, 1197
skeletal muscle, phase transition in force during ramp stretches of, 2971
Substance P, interaction with phospholipid bilayers, neutron diffraction study, 889
Sucrose, acceleration of cubic phases in PE dispersions, 853
Sugars, effect on head group mobility in freeze dried DPPC bilayers, 2947
Sulfur, distribution in bR, 255
Superhelix, salt-dependent, diameter studied by small angle neutron scattering and Monte Carlo simulations, DNA, 3057
Surface-enhanced resonance Raman scattering study, anthrocyclins in lipid monolayers and planar asymmetrical bilayers, 2368
Surfactant, addition to lipid bilayers, effect on electroporation voltages, 880
Synaptic transmission, analysis in NMJ, using continuum finite element model, 1679
Syncytium structures, receptor systems, effect on stochastic resonance, 1700
Synechocystis PCC6803, spectroscopy of chlorophyll *a* in $Cytb_6f$ of, 389

T

Taste, system of channel catfish, amino acid-activated channels in, 2757
TATA box-binding protein
selective binding to TATA box-containing promoter, 2411
VP16 interaction with, 1989
TATA-boxes, sequence-dependent dynamics of binding sites for, 372
T cells, human, energy of adhesion to adsorption layers of MAb, 545
Temperature, transitions of protein properties in human red blood cells, 3179
Tetanus neurotoxin, zinc coordination in active site, X-ray absorption spectroscopy, 1953
Tetrodotoxin, binding to sodium channel outer vestibule, 2647
Thermal motions, bR, at different hydration levels, studied by neutron scattering, 1945
Thermodynamics
PEG chains grafted to lipid bilayers, 2900
polymer networks, cell wall expansion model based on, 2240

study of bR photocycle over pH range, 3110
Thick filaments, muscle, elastic properties of, measured by nanofabricated cantilevers, 938
Thylakoids
EDTA-treated, light gradients in, 124
photoinhibited, model for fluorescence induction curve of, 503
Time-resolved transient hole-burning spectroscopy, conformational fluctuations in Zn-substituted myoglobin, 521
Titin. *see also* Connectin
elasticity of, 2613
stability of Ig and fibronectin III domains in, measured by AFM, 3008
unfolding of Ig domains by steered MDS, 662
TMS. *see* Transmembrane segments
α-Tocopherol, interaction with model human HDLs, 2923
Transcription elongation complexes, reversible stalling of, by high pressure, 453
Transducin, binding to rhodopsin studied by ATR-FTIR, 1306
Transmembrane potential
and control of erythrocyte shape (letter), 569
induced, unified RC model for impedance, dielectrophoresis, electrorotation, electroporation and, 1107
Transmembrane segment 7, proposed structure for, GPCRs, 601
Transport, depolymerization-driven, role of microtubules, Monte Carlo simulation, 1529
Transport proteins
hydrophobic free energy eigenfunctions contain β-burst patterns, 2332
substrate binding to, NMR study, 2794
Trehalose
acceleration of cubic phases in PE dispersions, 853
effect on head group mobility in freeze dried DPPC bilayers, 2947
Trematodes, oxygen affinity of hemoglobins, 990
Triplet state, photoexcited, chromophore-protein interactions in myoglobin, 1491
trp repressor, DNA complexes visualized by AFM, 2712
Tryptophan
interfacially localized analogs of, in lipid bilayers, NMR studies, 1365
mobility in azurin variants, time-resolved fluorescence study, 2441
T-tubule membranes, supercharging accelerates potential changes, voltage-clamped skeletal muscle fibers, 2098
Twitchin, phosphorylation, regulation of catch muscle by, 1904

U

Ultraviolet resonance Raman spectroscopy, study of drub-protein interactions, 1097
Unfolding. *see also* Folding; Refolding
of acrylodan-labeled HSA, using fluorescence methods, 1084
effect of cobra cardiotoxin D57N mutation on, 2382
potential errors in studies of chemical denaturation, 484
pressure-induced, of dimeric β-lactoglobulin, 471
of titin Ig domains by MDS, 662
Unstirred layer size, as function of solutes, effect on diffusion coefficients, 1403
UVRR. *see* Ultraviolet resonance Raman spectroscopy

V

VDAC. *see* Anion channels, voltage dependent
Virial coefficients, osmotic second, proteins, 2469
Viruses, local rules simulation of capsid self-assembly kinetics, 2626
Viscoelastic parameters, adherent cell surfaces, measured by magnetic bead microrheometry, 2038
Viscum album, lectins, model membrane dehydration induced by, 2868
Visible spectroscopy, properties of homodimeric hemoglobin mutant, 2489
Voltage gate, hemichannel localization of, connexin46 gap junction, 2323
Voltage-gated channels, sensitivity of VDAC to ion flow, 704
Volume changes
for pressure-induced transitions of apomyoglobin states, 463
thermodynamic, for electron transferin Cyt *c* oxidase and Cyt *c* binding, 435
Volume-regulated anion conductance, anion competition for, 226
VP16, interaction with TATA box binding protein, 1989

W

Water
augmented erythrocyte water binding and low cellular water content, camels and camelids, 3085
DMSO mixtures with, structure and interactions in, DPPC lipid membranes, 2343
dynamics in GSL aggregates, by LAURDAN fluorescence, 331
molecules, free energy profiles for H^+ conduction along hydrogen-bonded chains of, 33
transfer during reactive loop insertion, antithrombin conformers, 573
Water channel, of cytochrome *c* oxidase, 3127
Weber, Gregorio, obituary, 1916–1997: A Fluorescent Lifetime, 419

X

Xenopus
eggs
simulation of fertilization calcium-ion wave in, 2088
sperm-induced calcium wave in, characterized by confocal microscopy, 2079
oocytes
barium interaction with Kir2.1 channel pores, 2313
Shaker and eag potassium channels subunit assembly in, 1263
X-ray absorption spectroscopy, zinc coordination in active site, tetanus neurotoxin, 1953
X-ray diffraction, sulfur distribution in bR, 255
X-ray reflectivity, photosystem II core complex studied by, 2888
X-ray scattering, quaternary structure of *E. coli* F_1 ATPase, 2212

Z

Zinc, coordination in active site, tetanus neurotoxin, X-ray absorption spectroscopy, 1953